

Books and monographs

1. Keys A, Aravanis C, Blackburn HW, Van Buchem FSP, Buzina R, Djordjević BS, Dontas AS, Fidanza F, Karvonen MJ, Kimura N, Lekos D, Monti M, Puddu V, Taylor HL. Epidemiological studies related to coronary heart disease. Characteristics of men aged 40-59 in Seven Countries. *Acta Med Scand* 1967;460(Suppl.180):392 pp.
2. Den Hartog C, Buzina R, Fidanza F, Keys A, Roine P. Dietary studies and epidemiology of heart diseases. Stichting tot wetenschappelijke Voorlichting op Voedingsgebied, The Hague, The Netherlands 1968. 157 pp.
3. Keys A (Ed). Coronary heart disease in seven countries. *Circulation* 1970;41(Suppl.1):211 pp.
4. Rose GA, Blackburn H. Cardiovascular Survey Methods. WHO Monograph Series No. 56, WHO Press, Geneva, 1968: 188 pp.
5. Keys A, Aravanis C, Blackburn H, Buzina R, Djordjević BS, Dontas AS, Fidanza F, Karvonen MJ, Kimura N, Menotti A, Mohacek I, Nedeljković S, Puddu V, Punsar S, Taylor HL, Van Buchem FSP. Seven Countries. A multivariate analysis of death and coronary heart disease. Cambridge, MA; Harvard University Press, ISBN: 0-674-80237-3, 1980. 381 pp.
6. Kromhout D, Menotti A, Blackburn H (Eds). The Seven Countries Study: A scientific adventure in cardiovascular disease epidemiology. Brouwer Offset b.v., Utrecht, ISBN 90-6960-048-x, 1994. 219 pp.
7. Toshima H, Koga Y, Blackburn H, Keys A (Eds). Lessons for science from the Seven Countries Study. Springer Verlag, Berlin, Heidelberg, New York, Tokyo. ISBN 3-540-70140-0, 1994. 243 pp.
8. Blackburn H. On the Trail of Heart Attacks in Seven Countries. ISBN 1-887268-00-6. 1995. 148 pp.
9. Kromhout D, Menotti A, Blackburn H (Eds). Prevention of coronary heart disease. Diet, lifestyle and risk factors in the Seven Countries Study. Kluwer Academic Publishers, Boston, 2002. 267pp.

Articles from the combined populations

1. Blackburn H, Keys A, Simonson E, Rautaharju P, Punsar S. The electrocardiogram in population studies. A classification system. *Circulation* 1960; 21:1160.
2. Keys A, Aravanis C, Blackburn H, Van Buchem FSP, Buzina R, Djordjevic BS, Fidanza F, Karvonen MJ, Menotti A, Puddu V, Taylor HL. Coronary heart disease: overweight and obesity as risk factors. *Ann Intern Med* 1972;77:15-27.
3. Keys A, Aravanis C, Blackburn H, Van Buchem FSP, Buzina R, Djordjevic BS, Fidanza F, Karvonen M, Menotti A, Puddu V, Taylor HL. Probability of middle-aged men developing coronary heart disease in five years. *Circulation* 1972;45:815-828.
4. Keys A, Aravanis C, Blackburn H, Djordjevic BS, Dontas AS, Fidanza F, Karvonen MJ, Menotti A, Taylor HL. Lung function as a risk factor for coronary heart disease. *Am J Publ Health* 1972;62:1506-1511.
5. Keys A, Fidanza F, Karvonen MJ, Kimura N, Taylor HL. Indices of relative weight and obesity. *J Chron Dis* 1972;25:329-343.
6. Rautaharju PM, Punsar S, Blackburn H, Warren J, Menotti A. Waveform patterns in Frank lead rest and exercise electrocardiogram of healthy elderly men. *Circulation* 1973;48:541-548.

7. Rose GA, Blackburn H, Keys A, Taylor HL, Kannel WB, Paul O, Reid DD, Stamler J. Colon cancer and blood cholesterol. *Lancet* 1974;1:181-183.
8. Menotti A, Capocaccia R, Conti S, Farchi G, Mariotti S, Verdecchia A, Keys A, Karvonen MJ, Punsar S. Identifying subsets of major risk factors in multivariate estimation of coronary risk. *J Chron Dis* 1977;30:557-565.
9. Farchi G, Capocaccia R, Verdecchia A, Menotti A, Keys A. Risk factors changes and coronary heart disease in an observational study. *Int J Epidemiol* 1981;10:31-40.
10. Keys A, Aravanis C, Van Buchem F, Blackburn H, Buzina R, Djordjevic BS, Fidanza F, Karvonen MJ, Kimura N, Menotti A, Nedeljkovic S, Puddu V, Taylor HL. The diet and all causes death rate in the Seven Countries Study. *Lancet* 1981;2:58-61.
11. Mariotti S, Capocaccia R, Farchi G, Menotti A, Verdecchia A, Keys A. Differences in the incidence rate of coronary heart disease between North and South European cohorts of the Seven Countries Study. *Eur Heart J* 1982;3:481-487.
12. Keys A, Menotti A, Aravanis C, Blackburn H, Djordjevic BS, Buzina R, Dontas AS, Fidanza F, Karvonen MJ, Kimura N, Mohacek I, Nedeljkovic S, Puddu V, Punsar S, Taylor HL, Conti S, Kromhout D, Toshima H. The Seven Countries Study: 2,289 deaths in 15 years. *Prev Med* 1984;13:141-154.
13. Keys A, Aravanis C, Blackburn H, Buzina R, Dontas AS, Fidanza F, Karvonen MJ, Menotti A, Nedeljkovic S, Punsar S, Toshima H. Serum cholesterol and cancer mortality in the Seven Countries Study. *Am J Epidemiol* 1985;121:870-883.
14. Keys A, Menotti A, Karvonen MJ, Aravanis C, Blackburn H, Buzina R, Djordjevic BS, Dontas AS, Fidanza F, Keys M, Kromhout D, Nedeljkovic S, Punsar S, Seccareccia F, Toshima H. The diet and 15-year death rate in the Seven Countries Study. *Am J Epidemiol* 1986;124:903-915.
15. Mariotti S, Capocaccia R, Farchi G, Menotti A, Verdecchia A, Keys A. Age, period, cohort and geographical area effects on the relationship between risk factors and coronary heart disease mortality. 15-year follow-up of the European cohorts of the Seven Countries Study. *J Chron Dis* 1986;39:229-242.
16. Menotti A, Keys A, Aravanis C, Nedeljkovic S, Seccareccia F. Hypertension and atherosclerosis: epidemiological aspects. The experience from Southern Europe. In: "Hypertension and Atherosclerosis". Satellite Meeting, VIII International Symposium on Atherosclerosis. Florence, Italy, 1988. CIC Edizioni Internazionali. Roma 1988:53-58.
17. Menotti A, Keys A, Nissinen A, Kromhout D, Seccareccia F. The Seven Countries Study: 25 year experience in three countries. In: "Epidemiology of Atherosclerosis". Satellite Meeting, VIII International Symposium on Atherosclerosis. Porto Cervo, 1988. CIC, Edizioni Internazionali. Roma 1988:19-25.
18. Keys A, Karvonen MJ. The diet and 15-year death rate in the Seven Countries Study. *Am J Epidemiol* 1988;128(1):238-241.
19. Kromhout D, Keys A, Aravanis C, Buzina R, Fidanza F, Giampaoli S, Jansen A, Menotti A, Nedeljkovic S, Pekkarinen M, Simic BS, Toshima H. Food consumption patterns in the 1960s in Seven Countries. *Am J Clin Nutr* 1989;49:889-894.
20. Menotti A, Keys A, Aravanis C, Blackburn H, Dontas AS, Fidanza F, Karvonen MJ, Kromhout D, Nedeljkovic S, Nissinen A, Pekkanen J, Punsar S, Seccareccia F, Toshima H. Seven Countries Study. First 20 year mortality data in 12 cohorts of the Seven Countries. *Ann Med* 1989;21:175-179.
21. Menotti A, Keys A, Blackburn H, Aravanis C, Dontas AS, Fidanza F, Giampaoli S, Karvonen MJ, Kromhout D, Nedeljkovic S, Nissinen A, Pekkanen J, Punsar S, Seccareccia F, Toshima H. Twenty-year stroke mortality and prediction in twelve cohorts of the Seven Countries Study. *Int J Epidemiol* 1990;19:309-315.
22. Menotti A, Keys A, Kromhout D, Nissinen A, Blackburn H, Fidanza F, Giampaoli S,

- Karvonen MJ, Pekkanen J, Punsar S, Seccareccia F. Twenty-five-year mortality from coronary heart disease and its prediction in five cohorts of middle aged men in Finland, the Netherlands, and Italy. *Prev Med* 1990;19:270-278.
23. Kromhout D, Nissinen A, Menotti A, Bloemberg BPM, Pekkanen J, Giampaoli S. Total and HDL cholesterol and their correlates in elderly men in Finland, Italy and the Netherlands. *Am J Epidemiol* 1990;131:855-863.
24. Menotti A, Keys A, Kromhout D, Nissinen A, Blackburn H, Fidanza F, Giampaoli S, Karvonen MJ, Pekkanen J, Punsar S, Seccareccia F. All cause mortality and its determinants in middle-aged men in Finland, the Netherlands and Italy in a 25-year follow-up. *J Epidemiol Comm Health* 1991;45:125-130.
25. Menotti A, Keys A, Blackburn H, Karvonen M, Punsar S, Nissinen A, Pekkanen J, Kromhout D, Giampaoli S, Seccareccia F, Fidanza F, Nedeljkovic S, Aravanis C, Dontas AS, Toshima H. Blood pressure changes as predictors of future mortality in the Seven Countries Study. *J Hum Hypertension* 1991;5:137-144.
26. Kromhout D, Katan MB, Menotti A, Keys A, Bloemberg BPM. Serum cholesterol and long-term death rates from suicide, accidents of violence. *Lancet* 1992;340:317 (Letter to the editor).
27. Menotti A, Keys A, Kromhout D, Blackburn H, Aravanis C, Bloemberg B, Buzina R, Dontas A, Fidanza F, Giampaoli S, Karvonen MJ, Lanti M, Mohacek I, Nedeljkovic S, Nissinen A, Pekkanen J, Punsar S, Seccareccia F, Toshima H. Inter-cohort differences in coronary heart disease mortality in the 25-year follow-up of the Seven Countries Study. *Eur J Epidemiol* 1993;9:527-536.
28. Menotti A. Impact of international cardiovascular epidemiological studies on prevention: the Seven Countries Study. *Can J Cardiol* 1993;9(suppl D): 8D-9D.
29. Hertog MGL, Kromhout D, Aravanis C, Blackburn HW, Buzina R, Fidanza F, Giampaoli S, Jansen A, Menotti A, Nedeljkovic S, Pekkarinen M, Simic BS, Toshima H, Feskens EJM, Hollman PCH, Katan MB. Flavonoid intake and long-term risk of coronary heart disease and cancer in the Seven Countries Study. *Arch Intern Med* 1995;155:381-6.
30. Ocké MC, Kromhout D, Menotti A, Aravanis C, Blackburn H, Buzina R, Fidanza F, Jansen A, Nedeljkovic S, Nissinen A, Pekkarinen M, Toshima H. Average intake of anti-oxidant (pro)vitamins and subsequent cancer mortality in the 16 cohorts of the Seven Countries study. *Int J Cancer* 1995;61:480-484.
31. Kromhout D, Menotti A, Bloemberg B, Aravanis C, Blackburn H, Buzina R, Dontas AS, Fidanza F, Giampaoli S, Jansen A, Karvonen M, Katan M, Nissinen A, Nedeljkovic S, Pekkanen J, Punsar S, Räsänen L, Simic B, Toshima H. Dietary saturated and trans fatty acids, cholesterol and 25-year mortality from coronary heart disease. The Seven Countries Study. *Prev Med* 1995;24:308-315.
32. Feskens EJM, Virtanen SM, Räsänen L, Tuomilehto J, Stengård J, Pekkanen J, Nissinen A, Kromhout D. Dietary factors determining diabetes and impaired glucose tolerance: a 20-yr follow-up of the Finnish and Dutch cohorts of the Seven Countries Study. *Diabetes Care* 1995;18:1104-1112.
33. Feskens EJM, Tuomilehto J, Stengård J, Pekkanen J, Nissinen A, Kromhout D. Hypertension and overweight associated with hyperinsulinaemia and glucose tolerance: a longitudinal study of the Finnish and Dutch cohorts of the Seven Countries Study. *Diabetologia* 1995;38:839-847.
34. Verschuren WMM, Jacobs DR, Bloemberg BPM, Kromhout D, Menotti A, Aravanis C, Blackburn HW, Buzina R, Dontas AS, Fidanza F, Karvonen MJ, Nedeljkovic S, Nissinen A, Toshima H. Serum total cholesterol and long-term coronary heart disease mortality in different cultures. Twenty-five year follow-up of the Seven Countries Study. *JAMA* 1995;274:131-136.

35. Peters EThJ, Seidell JC, Menotti A, Aravanis C, Dontas A, Fidanza F, Karvonen M, Nedeljkovic S, Nissinen A, Buzina R, Bloemberg B, Kromhout D. Changes in body weight in relation to mortality in 6,441 European middle-aged men: the Seven Countries Study. *Int J Obesity* 1995;19:862-868.
36. Huijbregts PPCW, Feskens EJM, Rasanen L, Fidanza-Alberti A, Mutanen M, Fidanza F, Kromhout D. Dietary intake in five aging cohorts in Finland, Italy and the Netherlands. *Eur J Clin Nutr* 1995;49:852-860.
37. Farchi G, Fidanza F, Grossi P, Lancia A, Mariotti S, Menotti A. Relationship between eating patterns meeting recommendations and subsequent mortality in 20 years. *Eur J Clin Nutr* 1995;49:408-419.
38. Menotti A, Seccareccia F, Blackburn H, Keys A. Coronary mortality and its prediction in samples of US and Italian railroad employees in 25 years within the Seven Countries Study of Cardiovascular Diseases. *Int J Epidemiol* 1995;24: 515-512.
39. Prospective Studies Collaboration (multiple authors including the following for the Seven Countries Study: Aravanis C, Blackburn H, Buzina R, Dontas A, Fidanza F, Giampaoli S, Karvonen M, Keys A, Kromhout D, Lanti M, Menotti A, Mohacek I, Nedeljkovic S, Nissinen A, Punsar S, Seccareccia F, Toshima H). Cholesterol, diastolic blood pressure and stroke: 13,000 strokes in 450,000 people in 45 prospective cohorts. *Lancet* 1995;346:1647-1452.
40. Menotti A, Jacobs DR Jr, Blackburn H, Kromhout D, Nissinen A, Nedeljkovic S, Buzina R, Mohacek I, Seccareccia F, Giampaoli S, Dontas A, Aravanis C, Toshima H. Twenty-five-year prediction of stroke deaths in the Seven Countries Study. The role of blood pressure and its changes. *Stroke* 1996;27:381-387.
41. Menotti A, Keys A, Blackburn H, Kromhout D, Karvonen M, Nissinen A, Pekkanen J, Punsar S, Fidanza F, Giampaoli S, Seccareccia F, Buzina R, Mohacek I, Nedeljkovic S, Aravanis C, Dontas A, Toshima H, Lanti M. Comparison of multivariate predictive power of major risk factors for coronary heart disease in different countries. The experience in eight nations of the Seven Countries Study 25-year follow-up. *J Cardio Risk* 1996;3:69-75.
42. Kromhout D, Bloemberg BPM, Feskens EJM, Hertog MGL, Menotti A, Blackburn H, for the Seven Countries Study Group. Alcohol, fish, fiber and antioxidant vitamins intake do not explain population differences in coronary heart disease mortality. *Int J Epidemiol* 1996;25:753-759.
43. Menotti A, Blackburn H, Seccareccia F, Kromhout D, Nissinen A, Aravanis C, Giampaoli S, Mohacek I, Nedeljkovic S, Toshima H. The relation of chronic diseased to all-cause mortality risk—the Seven Coutries Study. *Ann Med* 1997;29:134-141.
44. Menotti A, Blackburn H, Kromhout D, Nissinen A, Karvonen M, Aravanis C, Dontas A, Fidanza F, Giampaoli S. The inverse relation of average population blood pressure and stroke morates in the seven countries study: a paradox. *Eur J Epidemiol* 1997;13:379-386.
45. Menotti A, Blackburn H, Kromhout D, Nissinen A, Fidanza F, Giampaoli S, Buzina R, Mohacek I, Nedeljkovic S, Aravanis C, Toshima H. Changes in population cholesterol levels and coronary heart disease deaths in seven countries. *Eur Heart J* 1997;18:566-571.
46. Huijbregts P, Feskens E, Rasanen L, Fidanza F, Nissinen A, Menotti A, Kromhout D. Dietary pattern and 20 year mortality in elderly men in Finland, Italy and the Netherlands: longitudinal cohort study. *Brit Med J* 1997;315:13-17.
47. Menotti A. The Seven Countries Study: the lesson for cardiovascular specialists. *J Saudi Heart Ass* 1997; 13:379-386.
48. Menotti A, Blackburn H, Seccareccia F, Kromhout D, Nissinen A, Karvonen M, Fidanza F, Giampaoli S, Buzina R, Mohacek I, Nedeljkovic S, Aravanis C, Dontas A.

- Relationship of some risk factors with typical and atypical manifestations of coronary heart disease. *Cardiology* 1998;89:59-67.
49. Ocke MC, Bueno de Mesquita HB, Feskens EJ, Kromhout D, Menotti A, Blackburn H. Adherence to the European Code Against Cancer in relation to long-term cancer mortality: intercohort comparisons from the Seven Countries Study. *Nutr Cancer*. 1998;30:14-20
 50. Dontas AS, Menotti A, Aravanis C, Ioannidis P, Seccareccia F. Comparative total mortality in 25 years in Italian and Greek middle aged rural men. *Epidemiol Comm Hlth* 1998;52:638-644.
 51. Tabak C, Feskens EJ, Heederik D, Kromhout D, Menotti A, Blackburn HW. Fruit and fish consumption: a possible explanation for population differences in COPD mortality (The Seven Countries Study). *Eur J Clin Nutr*. 1998;52:819-25
 52. Jansen MC, Bueno de Mesquita HB, Buzina R, Fidanza F, Menotti A, Blackburn H, Nissinen AM, Kok FJ, Kromhout D. Dietary fiber and plant foods in relation to colorectal cancer mortality: the Seven Countries Study. *Int J Cancer* 1999;12(81):174-179.
 53. Jacobs DR Jr, Adachi H, Mulder I, Kromhout D, Menotti A, Nissinen A, Blackburn H. Cigarette smoking and mortality risk: twenty-five-year follow-up of the Seven Countries Study. *Arch Intern Med* 1999;159:733-740.
 54. Kromhout D. On the waves of the Seven Countries Study: a public health perspective on cholesterol. *Eur Heart J* 1999;20:796-802.
 55. Jansen MC, Bueno de Mesquita HB, Rasanen L, Fidanza F, Menotti A, Nissinen A, Feskens EJ, Kok FJ, Kromhout D. Consumption of plant foods and stomach cancer mortality in the Seven Countries Study. Is grain consumption a risk factor? Seven Countries Study Research Group. *Nutr Cancer* 1999;34:49-55.
 56. Kromhout D. Serum cholesterol in cross-cultural perspective. The Seven Countries Study. *Acta Cardiol* 1999;54:155-158.
 57. Prospective Studies Collaboration (multiple authors including the following for the Seven Countries Study: Aravanis C, Blackburn H, Buzina R, Dontas A, Fidanza F, Giampaoli S, Karvonen M, Keys A, Kromhout D, Lanti M, Menotti A, Mohacek I, Nedeljkovic S, Nissinen A, Punsar S, Seccareccia F, Toshima H). Collaborative overview (metanalysis) of prospective observational studies of usual blood pressure and usual cholesterol levels with common causes of death: protocol of the second cycle of the Prospective Studies Collaboration. *J Cardiovasc Risk* 1999; 6: 315-329.
 58. Menotti A, Kromhout D, Blackburn H, Fidanza F, Buzina R, Nissinen A. Food intake patterns and 25-year mortality from coronary heart disease: cultural correlations in the Seven Countries Study. The Seven Countries Research Group. *Eur J Epidemiol* 1999;15:507-15.
 59. Tabak C, Smit HA, Rasanen I, Fidanza F, Menotti A, Nissinen A, Feskens EJ, Heederik D, Kromhout D. Dietary factors and pulmonary function: a cross sectional study in middle aged men from three European countries. *Thorax* 1999;54:1021-1026.
 60. Van den Hoogen PC, Feskens EJ, Nagelkerke NJ, Menotti A, Nissinen A, Kromhout D. The relation between blood pressure and mortality due to coronary heart disease among men in different parts of the world. Seven Countries Study Research Group. *N Engl J Med* 2000;342:1-8.
 61. Kromhout D, Bloemberg B, Feskens E, Menotti A, Nissinen A. Saturated fat, vitamin C and smoking predict long-term population all-cause mortality rates in the Seven Countries Study. *Int J Epidemiol* 2000;29:260-265.
 62. Menotti A, Lanti M, Puddi PE, Kromhout D. Coronary heart disease incidence in northern and southern European populations: a reanalysis of the Seven Countries Study for a European coronary risk chart. *Heart* 2000;84:238-244.

63. Van den Hoogen PC, Seidell JC, Menotti A, Kromhout D. Blood pressure and longterm coronary heart disease mortality in the Seven Countries study: implications for clinical practice and public health. *Eur Heart J* 2000;21:1639-1642
64. Mulder I, Jansen MC, Smit HA, Jacobs DR Jr, Menotti A, Nissinen A, Fidanza F, Kromhout D. Role of smoking and diet in the cross-cultural variation in lung-cancer mortality: the Seven Countries Study. Seven Countries Study Research Group. *Int J Cancer* 2000 15;88:665-671.
65. Visscher TL, Seidell JC, Menotti A, Blackburn H, Nissinen A, Feskens EJ, Kromhout D. Underweight and overweight in relation to mortality among men aged 40-59 and 50-69 years: the Seven Countries Study. *Am J Epidemiol* 2000;151:660-666.
66. Oomen CM, Feskens EJ, Rasanen L, Fidanza F, Nissinen AM, Menotti A, Kok FJ, Kromhout D. Fish consumption and coronary heart disease mortality in Finland, Italy and the Netherlands. *Am J Epidemiol* 2000; 151:999-1006.
67. Virtanen SM, Feskens EJM, Räsänen L, Fidanza F, Tuomilehto J, Giampaoli S, Nissinen A, Kromhout D. Comparison of diets of diabetic and non-diabetic elderly men in Finland, The Netherlands and Italy. *Eur J Clin Nutr* 2000;54:181-6.
68. Feskens EJ, Oomen CM, Hogendoorn E, Menotti A, Kromhout D. Arginine intake and 25-year CHD mortality: the Seven Countries Study. *Eur Heart J* 2001;22:611-612.
69. Kromhout D, Bloemberg B, Seidell JC, Nissinen A, Menotti A. Physical activity and dietary fiber determine population body fat levels: the Seven Countries Study. *Int J Obes* 2001;25:301-306.
70. Jansen MC, Bueno de Mesquita HB, Rasanen L, Fidanza F, Nissinen AM, Menotti A, Kok FJ, Kromhout D. Cohort analysis of fruit and vegetable consumption and lung cancer mortality in European men. *Int J Cancer* 2001; 92:913-918.
71. Tabak C, Smit HA, Rasanen L, Fidanza F, Menotti A, Nissinen A, Feskens EJ, Heederik D, Kromhout D. Alcohol consumption in relation to 20-year COPD mortality and pulmonary function in middle-aged men from three European Countries. *Epidemiol* 2001; 12:239-245.
72. Van den Hoogen P, Seidell J, Nagelkerke N, Menotti A, Kromhout D. Relation between blood pressure and mortality: is there a threshold? *Eur Heart J* 2001;22:2132-2133.
73. Menotti A, Blackburn H, Kromhout D, Nissinen A, Adachi H, Lanti M. Cardiovascular risk factors as determinants of 25-year all-cause mortality in the Seven Countries Study. *Eur J Epidemiol* 2001;17:337-346.
74. Walda IC, Tabak C, Smit HA, Rasanen L, Fidanza, Menotti A, Nissinen A, Feskens EJ, Kromhout D. Diet and 20-year chronic obstructive pulmonary disease mortality in middle-aged men from three European countries. *Eur J Clin Nutr* 2002;56:638-643.
75. Prospective Studies Collaboration (multiple authors including the following for the Seven Countries Study: Aravanis C, Blackburn H, Buzina R, Dontas A, Fidanza F, Giampaoli S, Karvonen M, Keys A, Kromhout D, Lanti M, Menotti A, Mohacek I, Nedeljkovic S, Nissinen A, Punsar S, Seccareccia F, Toshima H). Age-specific relevance of usual blood pressure to vascular mortality: a meta-analysis of individual data for one million adults in 61 prospective studies. *Lancet* 2002; 360: 1903-1913.
76. Menotti A, Puddu PE, Lanti M, Kromhout D, Blackburn H, Nissinen A. Twenty-fiveyear coronary mortality trends in the Seven Countries Study using the accelerated failure time model. *Eur J Epidemiol* 2003;18:113-122.
77. Wong J, Wolf HK. Secular trends and senescence of blood pressure in a Japanese and Yugoslavian cohort of the Seven Countries Study. *Blood Press* 2003;12:32-39.
78. Fidanza F, Alberti A, Lanti M, Menotti A. Mediterranean Adequacy Index: correlation with 25-year mortality from coronary heart disease in the Seven Countries Study. *Nutr Metab Cardiovasc Dis* 2004; 14: 254-258.

79. Boshuizen HC, Lanti M, Menotti A, Moschandreas J, Tolonen H, Nissinen A, Nedeljkovic S, Kafatos A, Kromhout D. Effects of past and recent blood pressure and cholesterol level on coronary heart disease and stroke mortality, accounting for measurement error. *Am J Epidemiol* 2007; 165: 398-409.
80. Menotti A, Lanti M, Kromhout D, Blackburn H, Nissinen A, Dontas A, Kafatos A, Nedeljkovic S, Adachi H. Forty-year coronary mortality trends and changes in major risk factors in the first 10 years of follow-up in the seven countries study. *Eur J Epidemiol* 2007; 22: 747-754.
81. Prospective Studies Collaboration. Blood cholesterol and vascular mortality by age, sex and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55000 vascular deaths. *Lancet* 2007; 370: 1829-1839.
82. Menotti A, Lanti M, Kromhout D, Blackburn H, Jacobs D, Nissinen A, Dontas A, Kafatos A, Nedeljkovic S, Adachi H. Homogeneity in the relationship of serum cholesterol to coronary deaths across different cultures. 40-year follow-up of the Seven Countries Study. *Eur J Cardio Prev Rehab* 2008; 15: 719-725.
83. Prospective Studies Collaboration. Body-mass index and cause-specific mortality in 900 000 adults: collaborative analyses of 57 prospective studies. *Lancet*. 2009;373:1083-96.
84. Alonso A, Jacobs DRjr, Menotti A, Nissinen A, Dontas A, Kafatos A, Kromhout D. Cardiovascular risk factors and dementia mortality: 40 years of follow-up in the Seven Countries Study. *J Neurol Sciences*. 2009; 15: 79-83..
85. Puddu PE, Menotti A. Artificial neural network versus multiple logistic function to predict 25-year coronary heart disease mortality in the Seven Countries Study. *Eur J Cardiovasc Prev Rehabil* 2009;16: 583-591.
86. Giltay EJ, Zitman FG, Menotti A, Nissinen A, Jacobs DRjr, Adachi H, Kafatos A, Kromhout D, for the Seven Countries Study Group. Respiratory function and other biological factors for completed suicide: 40 years of follow-up of European cohorts of the Seven Countries Study. *J Affect Disord*. 2010; 120: 249-253.
87. Puddu PE, Menotti A, Tolonen H, Nedeljkovic S, Kafatos AG. Determinants of 40-year all-cause mortality in the European cohorts of the Seven Countries Study. *Eur J Epidemiol* Pub online 29 June 2011.

Joint publications on affiliated elderly populations from FINE and HALE Studies

1. Kromhout D, Nissinen A, Menotti A, Bloemberg B, Pekkanen J, Giampaoli S. Total and HDL cholesterol and their correlates in elderly men in Finland, Italy and the Netherlands. *Am J Epidemiol* 1990, 131 : 855-863.
2. Bijnen FCH, Feskens EJM, Caspersen CJ, Giampaoli S, Nissinen A, Menotti A, Mosterd WL, Kromhout D. Physical activity and cardiovascular risk factors in elderly men in Finland, Italy and the Netherlands. *Am J Epidemiol* 1996; 143: 553-561.
3. Menotti A, Kromhout D, Nissinen A, Giampaoli S, Seccareccia F, Feskens E, Pekkanen J, Tervahauta M. Short-term all-cause mortality and its determinants in elderly male populations in Finland, the Netherlands, and Italy: The FINE Study. *Prev Med* 1996;25:319-326.
4. Bijnen FCH, Feskens EJM, Giampaoli S, Menotti A, Hornstra G, Caspersen CJ, Mosterd WL, Kromhout D. Haemostatic parameters and lifestyle factors in elderly men in Italy and the Netherlands. *Thrombosis and Hemostasis* 1996;16:411-416.
5. Ferrucci L, Cecchi F, Guralnik JM, Giampaoli S, Lo Noce C, Salani B, Bandinelli S, Baroni A. Does the Clock Drawing Test predict cognitive decline in older persons independent of the Mini-Mental State Examination? The FINE Study Group. Finland, Italy, The Netherlands Elderly. *J Am Geriatr Soc*. 1996;44:1326-1331.

6. Huijbregts PPCW, Feskens EJM, Rasanen L, Fidanza F, Alberti-Fidanza A, Nissinen A, Giampaoli S, Kromhout D. Dietary patterns and cognitive function in elderly men in Finland, Italy and the Netherlands. *Eur J Clin Nutr* 1998;52:826-31.
7. Houterman S, Verschuren WM, Giampaoli S, Nissinen A, Feskens E, Kromhout D. Total but not high-density lipoprotein cholesterol is consistently associated with coronary heart disease mortality in elderly men in Finland, Italy and the Netherlands. *Epidemiol* 2000;11:327-332.
8. Menotti A, Mulder I, Nissinen A, Feskens EJ, Giampaoli S. The association of silent electrocardiographic findings with coronary deaths among elderly men in three European countries. The FINE study. *Acta Cardiol* 2001;56:27-36.
9. Menotti A, Mulder I, Nissinen A, Feskens E, Giampaoli S, Tervahauta M, Kromhout D. Cardiovascular risk factors and 10-year all-cause mortality in elderly European male populations. The FINE study. *Eur Heart J* 2001;22:573-9.
10. Menotti A, Mulder I, Nissinen A, Giampaoli S, Feskens EJ, Kromhout D. Prevalence of morbidity and multimorbidity in elderly male populations and their impact on 10-year all-cause mortality: The FINE study (Finland, Italy, Netherlands, Elderly). *J Clin Epidemiol* 2001;54:680-686.
11. Houterman S, Boshuizen HC, Verschuren WMM, Giampaoli S, Nissinen A, Menotti A, Kromhout D. Predicting cardiovascular risk in the elderly in different European countries. *Eur Heart J* 2002;23:294-300.
12. Brink CL van den, Tijhuis M, Kalmijn S, Klazinga NS, Nissinen A, Giampaoli S, Kivinen P, Kromhout D, van den Bos GA. Self-reported disability and its association with performance-based limitation in elderly men: a comparison of three European countries. *J Am Geriatric Soc* 2003;51(6):782-788.
13. Gelder BM van, Tijhuis MAR, Kalmijn S, Giampaoli S, Nissinen A, Kromhout D. Physical activity in relation to cognitive decline in elderly men. The FINE Study. *Neurology* 2004;63:2316-2321.
14. Menotti A, Lanti M, Kafatos A, Nissinen A, Dontas A, Nedeljkovic S, Kromhout D. The role of a baseline casual blood pressure measurement and of blood pressure changes in middle age in prediction of cardiovascular and all-cause mortality occurring late in life : a cross-cultural comparison among the European cohorts of the Seven Countries Study. *J Hypertension* 2004; 22: 1683-1690.
15. Knoops KTB, de Groot LCPGM, Kromhout D, Perrin AE, Moreiras-Varela O, Menotti A, van Staveren WA. Mediterranean diet, lifestyle factors, and 10-year mortality in elderly European men and women. *JAMA* 2004; 292: 1433-1439.
16. Brink CL van den, Tijhuis M, Bos GAM van den, Giampaoli S, Nissinen A, Kromhout D. Effect of widowhood on disability onset among elderly men from three European countries. *J Am Geriatric Soc* 2004;52:353-358.
17. Menotti A, Lanti M, Kromhout D, Kafatos A, Nedeljkovic S, Nissinen A. Short and long-term association of a single serum cholesterol measurement in middle-aged men in prediction of fatal coronary and other cardiovascular events: a cross-cultural comparison through Europe. *Eur J Epidemiol* 2005; 20: 597-604.
18. Lanti M, Menotti A, Nedeljkovic S, Nissinen A, Kafatos A, Kromhout D. Long-term trends in major cardiovascular risk factors in cohorts of aging men in the European cohorts of the Seven Countries Study. *Aging Clin Exp Res* 2005; 17: 306-315.
19. Menotti A, Lanti M, Nedeljkovic S, Nissinen A, Kafatos A, Kromhout D. The relationship of age, blood pressure, serum cholesterol and smoking habits with the risk of typical and atypical coronary heart disease death in the European cohorts of the Seven Countries Study. *Int J Cardiol* 2005; 106/2: 157-163.
20. Brink CL van den, Picavet HSJ, Bos GAM van den, Giampaoli S, Nissinen A, Kromhout D. Duration and intensity of physical activity and disability among European

elderly men. *Disabil Rehab* 2005;27(6):341-347.

21. Äijänseppä S, Notkola I-L, Tijhuis M, Staveren W van, Kromhout D, Nissinen A. Physical functioning in elderly Europeans: 10-year changes in the north and south: the HALE project. *J Epidemiol Community Health* 2005;59:413-419.

22. Brink CL van den, Tijhuis MAR, Bos GAM van den, Giampaoli S, Nissinen A, Kromhout D. The contribution of self-rated health and depressive symptoms to disability severity as predictor of 10-year mortality in European elderly men. *Am J Publ Health* 2005;95(11):2029-2034.

23. Buijsse B, Feskens EJM, Schlettwein-Gsell D, Ferry M, Kok FJ, Kromhout D, Groot CPGM de, for the SENECA investigators. Plasma carotene and α -tocopherol in relation to 10-y all-cause and cause-specific mortality in European elderly: the Survey in Europe on Nutrition and the Elderly, a Concerted Action (SENECA)₁₋₃. *Am J Clin Nutr* 2005;82:879-86.

24. Kamphuis MH, Kalmijn S, Tijhuis MAR, Geerlings MI, Giampaoli S, Nissinen A, Grobbee DE, Kromhout D. Depressive symptoms as risk factor of cardiovascular mortality in older European man: the Finland, Italy and Netherlands Eldery (FINE) study. *Eur J Cardiovasc Prevention Rehab* 2006, 13:199-206.

Publications exclusively on the US Railroad Employee population

1. Taylor HL. Diet, physical activity and the serum cholesterol concentration. *Min Med* 1958;41:149-53, 170.

2. Taylor HL. Relationship of physical activity to serum cholesterol concentration. In: *Work and the Heart. Transactions of the First Wisconsin Conference on Work and the Heart.* Rosenbaum FF, Belknap EL (Eds). New York. Paul Hoeber, Inc. 1959:111-16.

3. Taylor HL. The mortality and morbidity of coronary heart disease of men in sedentary and physically active operations. In: *Exercise and Fitness. A Collection of Papers Presented in the Colloquium on Exercise and Fitness.* University of Illinois College of Physical Education and The Athletic Institute 1960:20-39.

4. Taylor HL, Klepetar E, Keys A, Parlin RW, Blackburn H, Puchner T. Death rates among physically active and sedentary employees of the railroad industry. *Am J Publ Hlth* 1962;52:1697-1707.

5. Taylor HL. Coronary heart disease in physically active and sedentary population. *J Sports Med Physical Fitness* 1962;2:73-82.

6. Blackburn H. The electrocardiogram in cardiovascular epidemiology. Problems in standardized application. *Ann. N.Y. Acad. Sci.* 126:882, 1965.

7. Blackburn H, Taylor HL, Parlin RW, Kihlberg J, Keys A. Physical activity of occupation and cigarette smoking: Relationship to ventilatory function and respiratory symptoms. *Arch Environ Hlth* 1965;10:312-22.

8. Taylor HL, Parlin RW, Blackburn H, Keys A. Problems in the analysis of the relationship of coronary heart disease to physical activity or its lack, with special reference to sample size and occupation withdrawal. In: *Physical Activity in Health and Disease.* Evang K, Andersen KL (Eds). 1966:242-61.

9. Taylor HL, Blackburn H, Brozek J, Parlin RW, Puchner T. Railroad employees in the United States. Keys A, et al (Eds). *Epidemiological studies related to coronary heart disease: characteristics of men aged 40 to 59 in Seven Countries.* *Acta Medica Scand* 1967;Suppl 460:55-115.

10. Taylor HL. Occupational factors in the study of coronary heart disease and physical activity. *Can Med Ass J* 1967;96:825-31.

11. Taylor HL, Haskell W, Fox S, Blackburn H. Exercise tests: a summary of procedures and concepts of stress testing for cardiovascular diagnosis and function evaluation. In: *Measurement in Exercise Electrocardiography.* Charles C. Thomas, Springfield, IL

1968:259-305.

12. Hamrell BB, Blackburn H, Taylor HL. Disabling complications of physical exercise training in middle-age, coronary-prone American men. In: Exercise and the Heart. Morse RL (Ed). Charles C. Thomas, Springfield, IL 1972:188-199.
13. Keys A, Blackburn H, Taylor HL. Relationship of blood pressure, serum cholesterol, smoking habit, relative weight and ECG abnormalities to incidence of major coronary events: final report of the Pooling Project. *J Chronic Dis* 1978;31:201-306.
14. Taylor HL, Jacobs D, Schucker B, Knudsen J, Leon AS, DeBacker G. A questionnaire for the assessment of leisure time physical activities. *J Chronic Dis* 1978;31:741-755.
15. Remington RD, Taylor HL, Buskirk ER. A method for assessing volunteer bias and its application to cardiovascular disease prevention programme involving physical activity. *J Epidemiol Comm Health* 1978;32:250-255.
16. Taylor HL. Disabling effects of inactivity. In: Proceedings of the first International Conference on Lifestyle and Health. Leon AS, Amundson G (Eds). Minneapolis, MN. University of Minnesota Press, 1978.
17. Leon AS, Jacobs D, DeBacker G, Taylor HL. Relationship of physical characteristics and life habits to treadmill exercise capacity. *Am J Epidemiol* 1981;113:653-660.
18. Taylor HL. Physical activity: Is it still a risk factor? *Prev Med* 1983;12:20-24.
19. Slattery ML, Jacobs DR Jr. Physical fitness and cardiovascular disease mortality. The US Railroad Study. *Am J Epidemiol* 1988;127:571-580.
20. Slattery ML, Jacobs DR Jr, Nichaman MZ. Leisure time physical activity and coronary heart disease death. The U.S. Railroad Study. *Circulation* 1989;79:304-311.
21. Jacobs DR Jr, Hahn LP, Folsom AR, Hannan PJ, Sprafka JM, Burke GL. Time trends in leisure-time physical activity in the upper midwest 1957-1987: University of Minnesota Studies. *Epidemiol* 1991;2:8-15.
22. Yao CH, Slattery ML, Jacobs DR jr, Folsom AR, Nelson ET. Anthropometric predictors of coronary heart disease and total mortality; findings from the US Railroad Study. *Am J Epidemiol* 1991;134:1278-1289.
23. Menotti A, Kromhout D, Blackburn H, Jacobs D, Lanti M. Forty-year mortality from cardiovascular diseases and all-causes of death in the US Railroad cohort of the Seven Countries Study. *Eur J Epidemiol* 2004; 19: 417-424.
24. Menotti A, Kromhout D, Blackburn H, Jacobs D, Lanti M. Early and late coronary deaths in the US Railroad study predicted by major coronary risk factors. *Eur J Cardiovasc Prev Rehab* 2004; 11: 382-388.

Publications from Finnish Populations of the Seven Countries Study

1. Keys A, Karvonen MJ, Fidanza F. Serum cholesterol studies in Finland. *Lancet* 1958;2:175-178.
2. Orma E, Karvonen MJ, Keys A, Brozek J. Cigarette smoking, serum cholesterol and blood pressure. *Fed Proc* 1958;17:120.
3. Roine P, Pekkarinen M, Karvonen MJ, Kihlberg J. Diet and cardiovascular disease in Finland. *Lancet* 1958;2:173-175.
4. Karvonen MJ, Orma E, Keys A, Fidanza F, Brozek J. Cigarette smoking, serum cholesterol, blood pressure. Observations in Finland. *Lancet* 1959;1:492-494.
5. Orma E, Karvonen MJ, Keys A. "Cuff" hypertension. *Lancet* 1960;2:51.
6. Rautaharju PM, Karvonen MJ, Keys A. The mean spatial QRS and T vectors in 468 healthy Finnish men, aged 20 to 59 years. Normal standards. The effect of age. *Acta Med Scand* 1960;167:153-157.
7. Karvonen MJ, Pekkarinen M, Metsälä P, Rautanen Y. Diet and serum cholesterol of lumberjacks. *Brit J Nutr* 1961;15:157-163.
8. Karvonen MJ, Rautaharju PM, Orma E, Punsar S, Takkunen J. Cardiovascular studies

- on lumberjacks. *J Occup Med* 1961;3:49-53.
9. Rautaharju PM, Karvonen MJ, Keys A. The frequency of arteriosclerotic and hypertensive heart disease among ostensibly healthy working populations in Finland. An electrocardiographic and clinical study. *J Chron Dis* 1961;13(5):426-438.
 10. Rautaharju PM, Karvonen MJ, Leuthold E. Sex differences in the orientation and magnitude of the mean spatial QRS and T vectors. *Acta Med Scand* 1961;169:405-410.
 11. Karvonen MJ. Arteriosclerosis: Clinical surveys in Finland. *Proc Roy Med* 1962;55:271-274.
 12. Karvonen MJ. Effect of sphygmomanometer cuff size blood pressure measurement. *Bull WHO* 1962;27:805-808.
 13. Karvonen MJ. Arterial pressure in the East and West Finland. Pemberton J (Ed). *Epidemiology. Reports on Research and Teaching*. London 1962, Oxford Press 1963.
 14. Karvonen MJ, Telivuo LJ, Järvinen EJK. Sphygmomanometer cuff size and the accuracy of indirect measurement of blood pressure. *Am J Cardiol* 1964;13:688-693.
 15. Pekkarinen M. Weighing method in dietary surveys. *Voeding* 1964;25:26-31.
 16. Pekkarinen M, Roine P. Studies on the food consumption of the rural populations in East and West Finland. *Ann Med Exp Biol Fenn* 1964;42:93-101.
 17. Roine P. Nutrition and heart disease: Studies in Finland. *Biblioteca "Nutritio et Dieta"* 1964;6:63-81.
 18. Roine P, Pekkarinen M, Karvonen MJ. Dietary studies in connection with epidemiology of heart disease: Results in Finland. *Voeding* 1964;25:383-393.
 19. Heinilä K, Karvonen MJ, Koskela A. Assessment of habitual physical activity. *Rep Inst Occup Health* 1965:no16.
 20. Karvonen MJ. Epidemiology of heart disease in Finland. *Work Environment Health* 1966;2:21-25.
 21. Pekkarinen M. Nutrition surveys in people with muscular work for the purpose of defining international standard values. *Proceedings of the VII International Congress of Nutrition, Hamburg* 1966;4:182-185.
 22. Karvonen MJ. The relationship of habitual physical activity to diseases in the cardiovascular system. In: "Physical Activity in Health and Disease". Evang K, Anderden KL (Eds). Oslo, Universitetsforlaget 1966:81-89.
 23. Herron RE, Dontas AS, Karvonen MJ, Keys A. Effects of aging on the carotid pulse in two Finnish populations. *Acta Med Scand* 1967;Suppl 472:125-135.
 24. Karvonen MJ, Blomqvist G, Kallio V, Orma E, Punsar S, Rautaharju P, Takkunen J, Keys A. Men in rural East and West Finland. *Acta Med Scand* 1967;Suppl 460:169-190.
 25. Karvonen MJ. Nutrition in heavy metal labour. In: *Nutrition and Physical Activity. Symposia of the Swedish Nutrition Foundation V*, Uppsala. Almqvist & Wiksell 1967:59-63.
 26. Pekkarinen M. Chemical analysis in connection with dietary surveys in Finland. *Voeding* 1967;28:2-9.
 27. Pekkarinen M, Kivioja S, Jortikka L. A comparison of food intake of rural families estimated by oneday recall and precise weighing methods. *Voeding* 1967;28:470-476.
 28. Punsar S, Pyörälä K, Siltanen P. Classification of electrocardiographic S-T segment changes in epidemiological studies of coronary heart disease. *Scand J Clin Lab Invest* 1967;19(Suppl 95):112.
 29. The Scandinavian Committee on ECG classification: The "Minnesota Code" for ECG classification. Adaptation to CR leads and modification of the code for ECGs recorded during and after exercise. *Acta Med Scand* 1967;Suppl 481.
 30. Punsar S, Pyörälä K, Siltanen P. Classification of electrocardiographic S-T segment changes in epidemiological studies of coronary heart disease. *Ann Med Int Fenn*

1968;57:53-63.

31. Roine P, Pekkarinen M. Methodology of dietary surveys. Beiheft 11 der International Zeitschrift für Vitaminforschung "Richtlinien gesunder Ernährung". Verlag Hans Huber, Bern & Stuttgart 1968:31-42.
32. Luomanmäki K, Heikkilä J. Duration of the phases of left ventricular mechanical systole in healthy men aged 45 to 64 years. *Ann Clin Res* 1969;1:156-164.
33. Punsar S, Karvonen MJ, Pyörälä K. The difference between East and West Finland in the prognosis of coronary heart disease. *Scan J Clin Lab Invest* 1969:Suppl 108:52.
34. Karvonen MJ. Epidemiology of ischemic heart disease in Finland. *Ischemic Heart Disease*. Leiden Univ Press, Leiden 1970:72-83.
35. Karvonen MJ, Orma E, Punsar S, Kallio V, Arstila M, Luomanmäki K, Takkunen J. Five-year experience in Finland. *Coronary heart disease in Seven Countries*. *Circulation* 1970;41 (Suppl 1):52-61.
36. Koivistoinen P, Ahlström A, Nissinen H, Pekkarinen M, Roine P. Mineral element compositions of Finnish diets. Part I: Fe, Cu, Mn, Zn, Mg, Na, K, Ca and P. *Suomen kemistilehti* 1970;B43:426-430.
37. Pekkarinen M. Methodology in the collection of food consumption data. *Wrlld Rev Nutr Diet* 1970;12:145-171.
38. Barry AJ, Karvonen MJ. Heart disease and perceived exertion. *Work Environment Health* 1971;8(2):52-58.
39. Karvonen MJ, Nygård K, Punsar S. Coronary heart disease in lumberjacks. *Scan J Clin Lab Invest* 1972;29(Suppl 122):13.
40. Punsar S. Prognosis of CHD in East and West Finland. *Scand J Clin Lab Invest* 1972;29(Suppl 122):19.
41. Karvonen MJ. Reducing the risk. *World Health* 1972;Febr-March:44-51.
42. Punsar S. Cardiovascular mortality and quality of drinking water. An evaluation of the literature from an epidemiological point of view. *Work Environment Health* 1973;10:107-125.
43. Punsar S, Karvonen MJ. Angina pectoris and ECG abnormalities in relation to prognosis of coronary heart disease in population studies in Finland. *Adv Cardiol* 1973;8:148-161.
44. Rautaharju PM, Punsar S, Blackburn H, Warren J, Menotti A. Waveform patterns in Frank-lead rest and exercise electrocardiograms of healthy elderly men. *Circulation* 1973;48:541-548.
45. Karvonen MJ. Epidemiology of coronary heart disease in the arctic populations. *Nordic Council for Arctic Medical Research Report* 1973;7:5-9.
46. Karvonen MJ. Diet and cardiovascular disease. *Practitioner* 1974;212(2170):618-624.
47. Punsar S, Erämetsä O, Karvonen MJ, Ryhänen A, Hilska P, Vornamo H. Coronary heart disease and drinking water. A search in two Finnish male cohorts for epidemiologic evidence of a water factor. *J Chron Dis* 1975;28:259-287.
48. Punsar S. Research on water quality and CHD in two Finnish male cohorts. In: *Hardness of drinking water and public health* (Commission of the European Communities), Pergamon Press, Oxford & New York 1976:359-368.
49. Punsar S, Karvonen MJ. Prevention of coronary heart disease. *Lancet* 1976;2:808.
50. Punsar S, Karvonen MJ. Physical activity and coronary heart disease in populations from East and West Finland. *Adv Cardiol* 1976;18:196-207. (Letter to the editor)
51. Rahe RH, Arajärvi H, Arajärvi S, Punsar S, Karvonen MJ. Recent life changes and coronary heart disease in East versus West Finland. *J Psychosom Res* 1976;20:431-437.
52. Bastenie PA, Vanhaelst L, Golstein J, Smets Ph, Keys A, Karvonen MJ, Punsar S. Asymptomatic autoimmune thyroiditis and coronary heart disease. Cross-sectional and prospective studies. *Lancet* 1977;12:155.

53. Gaussett Ph, Delespesse G, Bastenie PA, Punsar S, Karvonen MJ. Milk antibodies and coronary heart disease. *Lancet* 1977;1:1006. (Letter to the editor).
54. Karvonen MJ, Punsar S. Sodium excretion and blood pressure of West and east Finns. *Acta Med Scand* 1977;202:501-517.
55. Karvonen MJ. 15-year incidence of coronary heart disease in the east-west population study. *Nordic Council Arct Med Res Rep* 1977;19:78-83.
56. Karvonen MJ. Views of future strategy in the epidemiology of CHD. *Nordic Council Arct Med Res Rep* 1977;19:189-190.
57. Punsar S, Wolf W, Mertz W, Karvonen MJ. Urinary chromium excretion and atherosclerotic manifestations in two Finnish male populations. *Ann Clin Res* 1977;9:79-83.
58. Schwartz K, Ricci BA, Punsar S, Karvonen MJ. Inverse relation of silicon in drinking water and atherosclerosis in Finland. *Lancet* 1977;1:538-539.
59. Heliövaara M, Karvonen MJ, Vilhunen R, Punsar S. Smoking, carbon monoxide and atherosclerotic diseases. *Br Med J* 1978;1:268-270.
60. Punsar S, Karvonen MJ. Quality of drinking water and sudden death. Observations from west and east Finland. *Adv Cardiol* 1978;25:25-26.
61. Rahe RH, Hervig L, Romo M, Siltanen P, Punsar S, Karvonen MJ, Rissanen V. Coronary behaviour in three regions of Finland. *J Psychosom Res* 1978;22:455.
62. Punsar S, Karvonen MJ. Drinking water quality and sudden death: observations from west and east Finland. *Cardiology* 1979;64:35-34.
63. Heliövaara M, Karvonen MJ, Punsar S, Rautanen Y, Haapakoski J. Serum thiocyanate concentration and cigarette smoking in relation to overall mortality and to deaths from coronary heart disease and lung cancer. *J Chron Dis* 1981;34:305-311.
64. Pekkarinen M. Dietary surveys in connection with coronary heart disease studies in Finland. In: *New trends in nutrition, lipid research and cardiovascular diseases*. Alan R. Liss Inc. New York 1981:243-261.
65. Heliövaara M, Karvonen MJ, Punsar S, Haapakoski J. Importance of coronary risk factors in presence and absence of myocardial ischaemia. *Am J cardiol* 1982;50:1248.
66. Karvonen MJ. Physical activity in work and leisure time in relation to cardiovascular diseases. *Ann Clin Res* 1982;14(Suppl 34):118-123.
67. Rautaharju PM, Antila K, Boeing J, Pyörälä K, Punsar S, Siltanen P, Karvonen MJ. Ischemic ST and R amplitude response to exercise; negative association with cigarette smoking. *Jap Heart J* 1982;23(Suppl 1):600-604.
68. Palosuo T, Aho K, Punsar S. IgG-rheumatoid factor in a population of elderly males: relationship to IgM-rheumatoid factor and rheumatoid arthritis. *Clin Exp Rheumatol* 1983;1:311-315.
69. Rautaharju PM, Pyörälä K, Punsar S, Siltanen P, Karvonen MJ. Relative overweight and abnormal ECG response to exercise in men ostensibly free from ischemic heart disease. *J Am Coll Cardiol* 1983;1(2):637.
70. Aho K, Gordin A, Palosuo T, Punsar S, Valkeila E, Karvonen MJ, Inkovaara J, Pasternack A. Thyroid autoimmunity and cardiovascular diseases. *Eur Heart J* 1984;5:43-46.
71. Keys A, Karvonen MJ, Punsar S, Menotti A, Fidanza F, Farchi G. HDL serum cholesterol and 24-year mortality of men in Finland. *Int J Epidemiol* 1984;13(4):427-435.
72. Nissinen A, Kivelä S-L, Pekkanen J, et al. Levels of some biological risk indicators among elderly men in Finland. *Age and Ageing* 1985;15:203-211.
73. Notkola V, Punsar S, Karvonen MJ, Haapakoski J. Socio-economic conditions in childhood and mortality and morbidity caused by coronary heart disease in adulthood in rural Finland. *J Soc Science Med* 1985;21:517-523.

74. Tuomilehto J, Nissinen A, Kivelä S-L, Wolf E, Kaarsalo E, Aro A, Pekkanen J, Punsar S. High prevalence of diabetes mellitus in elderly men in Finland. *Diabetes Res Clin Pract* 1985;(Suppl 1):570.
75. Virtamo J, Valkeila E, Alfthan G, Punsar S, Huttunen JK, Karvonen MJ. Serum selenium and the risk of coronary heart disease and stroke. *Am J Epidemiol* 1985;122:276-282.
76. Kivelä S-L, Nissinen A, Pekkanen J, Punsar S, Enlund H, Puska P. Thyroid function, age, and illness. In: *Nordic Gerontology and Geriatrics Today*, 8th Scandinavian Congress of Gerontology, Tampere 1986;May 25-28:205-208.
77. Kivelä S-L, Nissinen A, Tuomilehto J, Pekkanen J, Punsar S, Lammi U-K, Puska P. Prevalence of depressive and other symptoms in elderly Finnish men. *Acta Psychiatr Scand* 1986;73:93-100.
78. Nissinen A, Kivelä S-L, Pekkanen J, Pitkänen L, Punsar S, Kaarsalo E, Puska P. Thyroid function tests in the elderly Finnish men. *Acta Med Scand* 1986;220:63-69.
79. Nissinen A, Kivelä S-L, Tuomilehto J, Pekkanen J, Kostianen E, Piippo H, Lammi U-K, Punsar S, Puska O. Levels of some biological risk indicators among elderly men in Finland. *Age and Ageing* 1986;15:203-211.
80. Tuomilehto J, Pekkanen J, Nissinen A, Kivelä S-L, Kaarsalo W, Wolf E, Aro A, Punsar S, Karvonen MJ. Diabetes mellitus in elderly Finnish men. In: *Nordic Gerontology and Geriatrics Today*, 8th Scandinavian Congress of Gerontology, Tampere 1986;May 25-28:189-192.
81. Pekkanen J, Nissinen A, Punsar S, Karvonen MJ. The 25-year follow-up of the Finnish Seven Countries Study - Changes in CHD risk factor levels. In: *Nordic Gerontology and Geriatrics Today*, 8th Scandinavian Congress of Gerontology, Tampere 1986;May 25-28:303-306.
82. Lammi U-K, Kivelä S-L, Nissinen A, Kaarsalo E, Pekkanen J, Punsar S, Puska P. Functional and mental capacity of elderly Finnish men: A prevalence study. In: *Nordic Gerontology and Geriatrics Today*, 8th Scandinavian Congress of Gerontology, Tampere 1986;May 25-28:531-534.
83. Tuomilehto J, Nissinen A, Kivelä S-L, Pekkanen J, Kaarsalo W, Wolf E, Aro A, Punsar S, Karvonen MJ. Prevalence of diabetes mellitus in elderly men aged 65 to 84 years in eastern and western Finland. *Diabetologia* 1986;29:611-615.
84. Kivelä S-L, Nissinen A. Nutrition education and changes in nutrition behavior among 65-74 year-old population of eastern Finland. *J Nutr Educ* 1987;19(2):77-82.
85. Kivelä S-L, Nissinen A, Punsar S, Puska P. Age and regional differences in reliability and factor structure of the Zung self-rating scale in elderly Finnish men. *J Clin Psychology* 1987;43(3):318-327.
86. Nissinen A, Piha T, Tuomilehto J, Romo M, Puska P. Comparison of the levels of cardiovascular risk factors between Eastern and South-western Finland in 1982. *Acta Med Scand* 1987;222:389-400.
87. Pekkanen J, Marti B, Nissinen A, Tuomilehto J, Punsar S, Karvonen MJ. Reduction of premature mortality by high physical activity: a 20-year follow-up of middle-aged Finnish men. *Lancet* 1987;1473-1477.
88. Virtamo J, Valkeila E, Alfthan G, Punsar S, Huttunen JK, Karvonen MJ. Serum selenium and risk of cancer. A prospective follow-up of nine years. *Cancer* 1987;60:145-148.
89. Karvonen MJ, Aromaa A, Salonen J, Tuomilehto J. The Finnish cohort studies. In: *Epidemiology of Atherosclerosis*. Muntoni S, Epstein FH, Lamm G (Eds). 8th International Symposium on Atherosclerosis, Satellite Meeting. CIC Edizioni Internazionali, Porto Cervo 1988;Oct 14-15:15-18.
90. Kivelä A-L, Nissinen A, Ketola A, Punsar S, Puska P, Karvonen MJ. Changes in

- alcohol consumption during a ten-year follow-up among Finnish men aged 55-74 years. *Functional Neurology* 1988;3(2):167-178.
91. Kivelä S-L, Nissinen A, Punsar S, Puska P, Karvonen MJ. Determinants and predictors of heavy alcohol consumption among ageing Finnish men. *Compr Gerontol B* 1988;2:103-109.
 92. Mäenpää PH, Pirhonen A, Pirskanen A, Nissinen A, Kivelä S-L. Low serum concentrations of 25-hydroxyvitamin D, selenium and osteocalcin in Finnish elderly men. In *Vitamin D, molecular, cellular and clinical endocrinology*. Norman AW, et al (Eds). Walter de Gruyter, Berlin, New York 1988:903-904.
 93. Nissinen A, Pekkanen J, Porath A, Punsar S, Karvonen MJ. Risk factors for cardiovascular disease among 55 to 74 year-old Finnish men: A 10-year follow-up. *Ann Med* 1988;21:239-240.
 94. Aho K, Pekkarinen M. Diet and physical activity of men in East and West Finland in 1969. *Ann Med* 1989;21:241-243.
 95. Karvonen MJ. Prevention of cardiovascular diseases among the elderly. *Heartbeat. J Intern Soc Fed Cardiol* 1989;1:3-4.
 96. Kivelä S-L, Mäenpää P, Nissinen A, Alftan G, Punsar S, Enlund H, Puska P. Vitamin A, vitamin E and selenium status in an aged Finnish male population. *Int J Vit Nutr Res* 1989;59:373-380.
 97. Kivelä S-L, Nissinen A, Ketola A, Punsar S, Puska P, Karvonen MJ. Alcohol consumption and mortality in aging or aged Finnish men. *J Clin Epidemiol* 1989;42(1):61-68.
 98. Lammi U-K, Kivelä S-L, Nissinen A, Pekkanen J, Punsar S. Functional capacity and associated factors in elderly Finnish men. *Scand J Soc* 1989;17:67-75.
 99. Lammi U-K, Kivelä S-L, Nissinen A, Punsar S, Puska P, Karvonen MJ. Mental disability among elderly men in Finland: prevalence, predictors and correlates. *Acta Psychiatr Scand* 1989;80:459-468.
 100. Lammi U-K, Kivelä S-L, Nissinen A, Punsar S, Puska P, Karvonen MJ. Predictors of disability in elderly Finnish men - a longitudinal study. *J Clin Epidemiol* 1989;42(12):1215-1225.
 101. Marti B, Pekkanen J, Nissinen A, Ketola A, Kivelä S-L, Punsar S, Karvonen MJ. Association of physical activity with coronary risk factors and physical ability: 20-year follow-up of a cohort of Finnish men. *Age and Ageing* 1989;18:103-109.
 102. Mäenpää P-H, Pirhonen A, Pirskanen A, Pekkanen J, Alftan G, Kivelä S-L, Nissinen A. Biochemical indicators related to antioxidant status and bone metabolic activity in Finnish elderly men. *Int J Vit Nutr Res* 1989;59:14-19.
 103. Nissinen A, Pekkanen J, Porath A, Punsar S, Karvonen MJ. Risk factors for cardiovascular disease among 55 to 74 years-old Finnish men: A 10-year follow-up. Brief report. *Ann Med* 1989;21:239-240.
 104. Pekkanen J, Nissinen A, Punsar S, Karvonen MJ. Serum cholesterol and risk of accidental or violent death in a 25-year follow-up. The Finnish cohorts of the Seven Countries Study. *Arch Intern Med* 1989;149:1589-1591.
 105. Pekkanen J, Nissinen A, Puska P, Punsar S, Karvonen MJ. Risk factors and 25-year risk of coronary heart disease in a male population with a high incidence of the disease: the Finnish cohorts of the Seven Countries Study. *Br Med J* 1989;299:81-85.
 106. Enlund H, Martikainen J, Turakka H, Kivelä S-L, Nissinen A. Problems with drug use among elderly men. *J Geriatr Drug Therapy* 1990;4(4):81-94.
 107. Enlund H, Martikainen J, Turakka H, Nissinen A. The use of prescription drugs among elderly Finnish men. *J Clin Pharm Therapeutics* 1990;15:115-122.
 108. Lammi U-K, Kivelä S-L, Nissinen A, Laippala P, Punsar S, Puska P, Karvonen MJ. Predictors of high functional capacity and mortality in elderly Finnish men. *Aging*

- 1990;2(1):65-77.
109. Molgaard CA, Poikolainen K, Elder JP, Nissinen A, Pekkanen J, Golbeck AL, Moor C de, Lahtela K, Puska P. Depression late after combat: A follow-up of Finnish World War Two veterans from the Seven Countries east-west cohorts. *Military Med* 1991;156(5):219-222.
 110. Pekkanen J, Nissinen A, Punsar S, Karvonen MJ. Short and long-term association of serum cholesterol with mortality. The 25-year follow-up of the Finnish cohorts of the Seven Countries Study. *Am J Epidemiol* 1992;135(11):1251-1258.
 111. Pekkanen J, Manton KG, Stallard E, Nissinen A, Karvonen MJ. Risk factor dynamics, mortality, and life expectancy differences between eastern and western Finland: The Finnish cohorts of the Seven Countries Study. *Int J Epidemiol* 1992;21(2):406-419.
 112. Räsänen L, Mutanen M, Pekkanen J, Laitinen S, Koski K, Halonen S, Kivinen P, Stengård J, Nissinen A. Dietary intake of 70- to 89-year-old men in eastern and western Finland. *J Intern Med* 1992;232:305-312.
 113. Stengård JH, Tuomilehto J, Pekkanen J, Kivinen P, Kaarsalo E, Nissinen A, Karvonen MJ. Diabetes mellitus, impaired glucose tolerance and mortality among elderly men: The Finnish cohorts of the Seven Countries Study. *Diabetologia* 1992;35:760-765.
 114. Nissinen A, Pekkanen J, Kivinen P, Tervahauta M, Stengård J, Kaarsalo E, Kivelä S-L, Väisänen S, Salonen JT, Tuomilehto J. Prevalence and change of cardiovascular risk factors among men born 1900-1919. The Finnish cohorts of the Seven Countries Study. *Age and Aging* 1993;22:365-376.
 115. Pekkanen J, Tervahauta M, Nissinen A, Karvonen MJ. Does the predictive value of baseline coronary risk factors change over a 30-year follow-up? The Finnish cohorts of the Seven Countries Study. *Cardiology* 1993;82:181-190.
 116. Stengård JH, Pekkanen J, Tuomilehto J, Kivinen P, Kaarsalo E, Tamminen M, Nissinen A, Karvonen MJ. Changes in glucose tolerance among elderly Finnish men during a five-year follow-up: The Finnish cohorts of the Seven Countries Study. *Diabetes Metab* 1993;19:121-129.
 117. Tervahauta MP, Pekkanen J, Kivinen P, Stengård J, Jauhiainen M, Ehnholm C, Nissinen A. Prevalence of coronary heart disease and associated risk factors among elderly Finnish men. *Atherosclerosis* 1993;104:47-59.
 118. Tuomilehto-Wolf E, Tuomilehto J, Hitman CA, Nissinen A, Stengård J, Pekkanen J, Kivinen P, Kaarsalo E, Karvonen MJ. Genetic susceptibility to non-insulin dependent diabetes mellitus and glucose intolerance are located in HLA region. *Br Med J* 1993;307:155-159.
 119. Tervahauta M, Pekkanen J, Enlund H, Nissinen A. Change in blood pressure and 5-year risk of coronary heart disease among elderly men: the Finnish cohorts of the Seven Countries Study. *J Hypertension* 1994;12:1183-1189.
 120. Pekkanen J, Nissinen A, Vartiainen E, Punsar S, Karvonen MJ. Changes in serum cholesterol level and mortality: A 30-year follow-up of the Finnish cohorts of the Seven Countries Study. *Am J Epidemiol* 1994;139:155-165.
 121. Pekkanen J, Räsänen L, Mutanen M, Rauramaa R, Nissinen A. Association of factor VII activity with dietary fat and blood lipids among elderly men. The Finnish cohorts of the Seven Countries Study. *Nutr Metab Cardiovasc Dis* 1995;5:149-154.
 122. Stengård JH, Zerba KE, Pekkanen J, Ehnholm C, Nissinen A, Sing CF. Apolipoprotein E polymorphism predicts death from coronary heart disease in a longitudinal study of elderly Finnish men. *Circulation* 1995;91:265-269.
 123. Tervahauta M, Pekkanen J, Nissinen A. Risk factors of coronary heart disease and total mortality among elderly men with and without preexisting coronary heart disease. Finnish cohorts of the Seven Countries Study. *J Am Coll Cardiol* 1995;26:1623-1629.
 124. Stengård JH, Pekkanen J, Sulkava R, Ehnholm C, Erkinjuntti T, Nissinen A.

- Apolipoprotein E polymorphism, Alzheimer disease and vascular dementia among elderly Finnish men. *Acta Neurol Scand* 1995;92:297-298.
125. Martikainen J, Enlund H, Tuovinen K, Nissinen A: Changes in drug use among elderly men over a five-year period. *Journal of Applied Therapeutics* 1996;1:171-177.
 125. Stengård JH, Pekkanen J, Engholm C, Nissinen A, Sing CF. Genotypes with the apolipoprotein e4 allele are predictors of coronary heart disease mortality in a longitudinal study of elderly Finnish men. *Hum genet* 1996;97:677-684.
 126. Viitasalo V, Nissinen A, Kivinen P, Takala J. The last year of life: mortality, cause of death and need for help among old men. *Scan J Soc Med* 1996;24(2):132-139.
 127. Tervahauta M, Pekkanen J, Punsar S, Nissinen A. Resting electrocardiographic abnormalities as predictors of coronary events and total mortality among elderly men. *Am J Med* 1996;100:641-645.
 128. Kivinen P, Halonen P, Eronen M, Nissinen A. Self-rated health, physician-rated health and associated factors among elderly men: the Finnish cohorts of the Seven Countries Study. *Age Ageing* 1998;27:41-47.
 129. Kivinen P, Sulkava R, Halonen P, Nissinen A. Self-reported and performance-based functional status and associated factors among elderly men: the Finnish cohorts of the Seven Countries Study. *J Clin Epidemiol.* 1998;51:1243-1252.
 130. Notkola I-L, Sulkava R, Pekkanen J, Erkinjuntti T, Ehnholm C, Kivinen P, Tuomilehto J, Nissinen A: Serum total cholesterol, apolipoprotein E e4 allele, and Notkola Alzheimer's disease. *Neuroepidemiology* 1998;17:14-20.
 131. Tuomilehto J, Qiao Q, Salonen R, Nissinen A, Salonen JT: Ultrasonographic manifestations of carotid atherosclerosis and glucose intolerance in elderly Eastern Finnish men. *Diabetes Care* 1998 21(8):1349-1352.
 132. Ylihärsilä H, Tuomilehto J, Mackay IR, Zimmet P, Tuomilehto-Wolf E, Rowley MJ, Nissinen A: GAD antibodies in elderly men in different categories of glucose tolerance. *Diabetes Care* 1999;22(6):996-997.
 133. Qiao Q, Valle T, Nissinen A, Tuomilehto J: Smoking and the risk of diabetes in elderly Finnish men. Retrospective analysis of data from a 30-year follow-up study. *Diabetes Care* 1999;22:1821-1826.
 134. Stengård JH, Kardia SL, Tervahauta M, Ehnholm C, Nissinen A, Sing CF: Utility of the predictors of coronary heart disease mortality in a longitudinal study of elderly Finnish men aged 65 to 84 years is dependent on context defined by Apo E genotype and area of residence. *Clin Genet* 1999;56:367-377.
 135. Forsen T, Eriksson J, Qiao Q, Tervahauta M, Nissinen A, Tuomilehto J. Short stature and coronary heart disease: a 35-year follow-up of the Finn cohorts of The Seven Countries Study. *J Intern Med* 2000;248:326-332.
 136. Pelkonen M, Tukiainen H, Tervahauta M, Notkola I, Kivelä S, Salorinne Y, Nissinen A. Pulmonary function, smoking cessation and 30 year mortality in middle aged Finnish men. *Thorax* 2000 Sep;55(9):746-750.
 137. Qiao Q, Tervahauta M, Nissinen A, Tuomilehto J. Mortality from all causes and from coronary heart disease related to smoking and changes in smoking during a 35-year follow-up of middle-aged Finnish men. *Eur Heart J* 2000;21(19):1621-1626.
 138. Pelkonen M, Notkola IL, Tukiainen H, Tervahauta M, Tuomilehto J, Nissinen A. Smoking cessation, decline in pulmonary function and total mortality: a 30 year followup study among the Finnish cohorts of the Seven Countries Study. *Thorax* 2001;56(9):703-707.
 139. Harrela M, Qiao Q, Koistinen R, Tuomilehto J, Nissinen A, Seppala M, Leinonen P. High serum insulin-like growth factor binding protein-1 is associated with increased cardiovascular mortality in elderly men. *Horm Metab Res* 2002;34(3):144-149.
 140. Pelkonen M, Notkola I-L, Tukiainen H, Tervahauta M, Tuomilehto J, Nissinen A.

Smoking cessation, decline in pulmonary function and total mortality: a 30 year followup study among Finnish cohorts in the Seven Countries Study (Authors' reply). *Thorax* 2002;57:374-376.

141. Qiao Q, Pyörälä K, Pyörälä M, Nissinen A, Lindström J, Tilvis R, Tuomilehto J. Twohour glucose is a better risk predictor for incident coronary heart disease and cardiovascular mortality than fasting glucose. *Eur J Heart* 2002;23:1267-1275.

142. Äijänseppä S, Kivinen P, Helkala E-L, Kivelä S-L, Tuomilehto J, Nissinen A. Serum cholesterol and depressive symptoms in elderly Finnish men. *Int J Geriatr Psychiatry* 2002;17:629-634.

143. Pelkonen M, Notkola IL, Lakka T, Tukianinen HO, Kivinen P, Nissinen A. Delaying decline in pulmonary function with physical activity. A 25-year follow-up. *Am J Respir Crit Care Med* 2003; doi:10.1164/rccm.200208-954OC

Publications from The Netherlands population

1. Van Buchem FSP. Atherosclerosis and nutrition. *Nutr Diet* 1962;4:122-147.

2. Van Buchem FSP. Hypertension, etiology and diagnosis. *Indian Heart J* 1963;15:244.

3. Van Buchem FSP, Van de Heuvel-Aghina JWMT, Van de Heuvel JEA. Hypertension and changes of the fundus oculi. *Acta Med Scand* 1964;176:539-548.

4. Van Buchem FSP, Drion EF. Cardiovascular disease and serum cholesterol. *Angiology* 1964;15:424-429.

5. Den Hartog C et al. Dietary surveys in connection with epidemiology of heart disease. Results with 900 men at Zutphen (Netherlands). Comparison of methods. Proceedings 6th International Congress on Nutrition, Edinburgh, 9-15 August 1963. E & S Livingstone Ltd., Edinburgh and London, 1964:620.

6. Den Hartog C, Van Schaik TFSM, Dalderup LM, Drion E. Methodology of dietary surveys associated with epidemiological research on the relationship between serum cholesterol and dietary fat. *Nutr Diet* 1964;6:52-62.

7. Den Hartog C, Van Schaik TFSM, Dalderup LM, Drion EF, Mulder T. The diet of volunteers participating in a long-term epidemiological field survey of coronary heart disease in Zutphen, The Netherlands. *Voeding* 1965;26:184-201.

8. Bink B, Bonjer FH, Van der Sluijs H. Assessment of the energy expenditure by indirect time and motion study. In: Physical activity in health and disease. Evang K, Lange Andersen KL (Eds). Universitetsforlaget, Oslo, 1966:207-214.

9. Van Buchem FSP, Pol G, De Gier J, Böttcher CJF, Pries C. Congenital β -lipoprotein deficiency. *Am J Med* 1966;40:794-804.

10. Van Buchem FSP et al. Congenital β -lipoprotein deficiency. *Kon Nederl Acad Wetensch, Proc Ser C* 1966;69 No. 2.

11. Van Buchem FSP. Serum lipids, nutrition and atherosclerotic complications in men. *Acta Med Scand* 1967;181:403-416.

12. Van Buchem FSP. Pathogenesis of atherosclerotic complications in man. *Arch Kreislaufl* 1967;54:140-160.

13. Van Buchem FSP et al. Electrocardiographic disturbances in asymptomatic men in the course of seven years. *Kon Nederl Acad Wetensch, Proc Ser C* 72, 1969 No. 1.

14. Van Buchem FSP, Drion EF, Wigbout M, Bosschieter E. Clinical significance of an ST-segment depression in the electrocardiogram. *Arch Kreislaufl* 1969;60:1-16.

15. Van Buchem FSP, Bosschieter EB. The influence of sympatholytics of the electrocardiogram. *Kon Nederl Acad Wetensch, Proc C* 73, 1970 No. 1.

16. Van Buchem FSP. The pathogenesis of atherosclerosis and atherosclerotic complications in man. *Indian Heart J* 1970;22:269-287.

17. Van Buchem FSP, Schermers TG, Van den Berg JW. The clinical significance of aortic sclerosis. *Am Heart J* 1970;80:831-837.

18. Kromhout D, Bosschieter EB, De Lezenne Coulander C. Dietary fibre and 10-year mortality from coronary heart disease, cancer and all causes. The Zutphen Study. *Lancet* 1982;II:518-522
19. Kromhout D. Changes in energy and macronutrients in 871 middle-aged men during 10 years of follow-up (The Zutphen Study). *Am J Clin Nutr* 1983;37:287-294
20. Kromhout D. Energy and macronutrient intake in lean and obese middle-aged men (The Zutphen Study). *Am J Clin Nutr* 1983;37:295-299
21. Kromhout D. Body weight, diet and serum cholesterol in 871 middle-aged men during 10 years of follow-up (The Zutphen Study). *Am J Clin Nutr* 1983;38:591-598
22. Kromhout D, De Lezenne Coulander C. Diet, prevalence and 10 year mortality from coronary heart disease in 871 middle-aged men (The Zutphen Study). *Am J Epidemiol* 1984;119:733-741.
23. Kromhout D, Bosschieter EB, De Lezenne Coulander C. Potassium, calcium, alcohol intake and blood pressure. The Zutphen Study. *Am J Clin Nutr* 1985;41:1299-1304.
24. Kromhout D, Bosschieter EB, De Lezenne Coulander C. The inverse relation between fish consumption and 20-year mortality from coronary heart disease. *N Engl J Med* 1985;312:1205-1209.
25. Kromhout D, Wibowo AAE, Herber RFM, Dalderup LM, Heerdink H, De Lezenne Coulander C, Zielhuis RL. Trace metals and coronary heart disease risk indicators in 152 elderly men (The Zutphen Study). *Am J Epidemiol* 1985;122:378-385
26. Kromhout D. Essential micronutrients in relation to carcinogenesis. *Am J Clin Nutr* 1987;45:1361-1367.
27. Kromhout D, Saris WHM, Horst CH. Energy intake, energy expenditure, and smoking in relation to body fatness: the Zutphen Study. *Am J Clin Nutr* 1988;47:668-74
28. Kromhout D, Bosschieter EB, Drijver M, De Lezenne Coulander C. Serum cholesterol and 25-year incidence of and mortality from myocardial infarction and cancer. The Zutphen Study. *Arch Intern Med* 1988; 148:1051-1055.
29. Van Houwelingen AC, Hornstra G, Kromhout D, De Lezenne Coulander C. Habitual fish consumption, fatty acids of serum phospholipids and platelet function. *Atherosclerosis* 1989; 75:157-165.
30. Van Houwelingen AC, Kester ADM, Kromhout D, Hornstra G. Comparison between habitual intake of polyunsaturated fatty acids and their concentrations in serum lipid fractions. *Eur J Clin Nutr* 1989;43:11-20
31. Heederik D, Pouwels H, Kromhout H, Kromhout D. Chronic non-specific lung disease and occupational exposures estimated by means of a job exposure matrix: the Zutphen Study. *Int J Epidemiol* 1989; 18: 382-389.
32. Feskens EJM, Kromhout D. Effects of body fatness and its development over a 10-year period on glucose tolerance in euglycemic men: The Zutphen Study. *Int J Epidemiol* 1989;18:368-373.
33. Duijkers TJ, Kromhout D, Spruit IP, Doornbos G. The role of some major risk factors in the relation between socio-economic status and 25-year mortality (The Zutphen Study). *Int J Epidemiol* 1989;18:658-662.
34. Bloemberg BPM, Kromhout D, Obermann-de Boer GL, Van Kampen-Donker M. The reproducibility of dietary intake data assessed with the cross-check dietary history method. (The Zutphen Study). *Am J Epidemiol* 1989;130:1047-52.
35. Bloemberg BPM, Kromhout D, Obermann-de Boer GL. The relative validity of retrospectively assessed energy intake data in cases with myocardial infarction and controls (The Zutphen Study). *J Clin Epidemiol* 1989;42:1075-1082.
36. Feskens EJM, Kromhout D. Cardiovascular risk factors and the 25-year incidence of diabetes mellitus in middle-aged men. *Am J Epidemiol*. 1989;130:1101-8.
37. Kromhout D, De Lezenne Coulander C, Obermann-de Boer GL, Van Kampen-Donker

- M, Goddijn E, Bloemberg BPM. Changes in food and nutrient intake in middle-aged men during the period 1960-1985 (The Zutphen Study). *Am J Clin Nutr* 1990;51:123-129.
38. Feskens EJM, Kromhout D. Habitual dietary intake and glucose tolerance in euglycemic men: the Zutphen Study. *Int J Epidemiol* 1990;19:953-959.
39. Heederik D, Kromhout H, Burema J, Biersteker K, Kromhout D. Occupational exposure and 25-year incidence rate of non-specific lung disease. The Zutphen Study. *Int J Epidemiol* 1990;19:945-952.
40. Caspersen CJ, Bloemberg BPM, Saris WHM, Merritt RK, Kromhout D. The prevalence of selected physical activities and their relationship with coronary heart disease risk factors in elderly men: The Zutphen Study, 1985. *Am J Epidemiol* 1991;133:1078-1092.
41. Van Reek J, Adriaanse H, Ramstrom L, Kromhout D. Smoking recidivism among a cohort of men in Zutphen (The Netherlands): 1960-1985. *Rev Epidém Santé Publ* 1991;39:297-300.
42. Feskens EJM, Kromhout D. Glucose tolerance and the risk of cardiovascular diseases: the Zutphen Study. *J Clin Epidemiol* 1992; 45:1327- 34.
43. Heederik D, Kromhout H, Kromhout D, Burema J, Biersteker K. Relations between occupation, smoking, lung function, and incidence and mortality of chronic nonspecific lung disease. The Zutphen Study. *Brit J Ind Med* 1992;49:299-308.
44. Keli SO, Bloemberg BPM, Kromhout D. Predictive value of repeated systolic blood pressure measurements for stroke risk. The Zutphen Study. *Stroke* 1992; 23: 347-351.
45. Kromhout H, Heederik D, Dalderup LM, Kromhout D. Performance of two general job-exposure matrices in a study of lung cancer mortality in the Zutphen cohort. *Am J Epidemiol* 1992;136:698-711.
46. De Vries C, Feskens EJM, Kromhout D. Repeated measurements of serum cholesterol and blood pressure in relation to long-term incidence of myocardial infarction. The Zutphen Study. *Cardiology* 1993;82:89-99.
47. Feskens EJM, Weijenberg MP, Kromhout D. A longitudinal study on diet, risk factors and cardiovascular disease in an aging cohort: the Zutphen Study. *Neth J Cardiol* 1993;4:200-204.
48. Hertog MGL, Hollman PCH, Katan MB, Kromhout D. Estimation of daily intake of potentially anticarcinogenic flavonoids and their determinants in adults in The Netherlands. *Nutr Cancer* 1993;20:21-29.
48. Hertog MGL, Feskens EJM, Hollman PCH, Katan MB, Kromhout D. Dietary flavonoids and the risk of coronary heart disease. (The Zutphen Elderly Study). *Lancet* 1993;342;1007-1011.
49. Miedema I, Feskens EJM, Heederik D, Kromhout D. Diet and the risk of chronic nonspecific lung disease in middle-aged men. The Zutphen Study. *Am J Epidemiol* 1993;138:37-45.
50. Pijls LTJ, Feskens EJM, Kromhout D. Self-rated health and mortality in elderly men. The Zutphen Study. *Am J Epidemiol* 1993;138:840-848.
51. Dekker JM, Schouten EG, Klootwijk P, Pool J, Kromhout D. The association between QT interval and coronary heart disease in middle-aged and elderly men: The Zutphen Study. *Circulation* 1994;90:779-785.
52. Keli SO, Feskens EJM, Kromhout D. Is fish consumption inversely associated with stroke incidence? The Zutphen Study. *Stroke* 1994;25:328-32.
53. Feskens EJM, Kromhout D. Hyperinsulinemia, risk factors and coronary heart disease (the Zutphen Elderly Study). *Arterioscler Thromb* 1994;141:1641-7.
54. Moerman CJ, Smeets FWM, Kromhout D. Dietary risk factors for clinically diagnosed gallstones in middle-aged men: a 25-year follow-up study (The Zutphen Study). *Ann*

Epidemiol 1994;4(3):248-265.

55. Moerman CJ, Berns MPH, Smeets FWM, Kromhout D. Regional fat distribution as a risk factor for clinically diagnosed gallstones in middle-aged men: a 25-year follow-up study (The Zutphen Study). *Int J Obesity* 1994;18:435-439.

56. Feskens EJM, Havekes LM, Kalmijn S, de Knijff P, Launer LJ, Kromhout D. Apolipoprotein E*4 allele predisposes to cognitive decline in elderly men. *Br Med J* 1994;309:1202-1206.

57. Feskens EJM, Kromhout D. Dietary factors and physical activity as determinants of hyperinsulinemia. (The Zutphen Elderly Study). *Am J Epidemiol* 1994;140:350-60.

58. Hertog MGL, Feskens EJM, Hollman PCH, Katan MB, Kromhout D. Dietary flavonoids and cancer risk in the Zutphen Elderly Study. *Nutr Cancer* 1994;22(2):175-184.

59. Post WK, Heederik D, Kromhout H, Kromhout D. Occupational exposure estimated by a population specific job exposure matrix and twenty-five years incidence rate of chronic non-specific lung disease (CNSLD): The Zutphen Study. *Eur Resp J* 1994;7:1048-1055.

60. De Knijff P, Boomsma DI, Feskens EJM, Jespersen J, Johansen LG, Kluft C, Kromhout D, Havekes LM. Apolipoprotein E phenotype and blood pressure. *Lancet* 1994;343:1234-1235 (Letter to the editor).

61. 't Hart LM, Lemkes HHPJ, Heine RJ, Stolk RP, Feskens EJM, Jansen JJ, van der Does FEE, Grobbee DE, Kromhout D, Van den Ouweland JMW, Maassen JA. Prevalence of maternally inherited diabetes and deafness in diabetic populations in the Netherlands. *Diabetologia* 1994;37:169-170 (Letter to the editor).

62. Feskens EJM, Loeber JG, Kromhout D. Dietary factors and physical activity as determinants of hyperinsulinemia (the Zutphen Elderly Study). *Am J Epidemiol* 1994;140:350-360.

63. Dekker JM, Schouten EG, Klootwijk P, Pool J, Kromhout D. ST segment and T-wave characteristics as indicators of coronary heart disease risk: The Zutphen Study. *J Am Coll Cardiol* 1995;25:1321-1326.

64. Dekker JM, Schouten EG, Kromhout D, Pool J. The cardiac infarction injury score as a predictor of coronary heart disease in middle-aged and elderly men. The Zutphen Study. *J Clin Epidemiol* 1995;48:833-840.

65. Huijbregts PPCW, Feskens EJM, Kromhout D. Dietary patterns and cardiovascular risk factors in elderly men: The Zutphen Elderly Study. *Int J Epidemiol* 1995;24:313-320.

66. Kalmijn S, Feskens EJM, Launer LJ, Kromhout D. Glucose intolerance, hyperinsulinaemia and cognitive function in a general population of elderly men. *Diabetologia* 1995;38:1096-1102.

67. Boer JMA, Feskens EJM, Kromhout D. Characteristics of non-insulin-dependent diabetes mellitus in elderly men: effect modification by family history (the Zutphen Elderly Study). *Int J Epidemiol* 1996;25(2):394-401.

68. Dekker JM, Feskens EJM, Schouten EG, Klootwijk P, Pool J, Kromhout D. QTc duration is associated with levels of insulin and glucose tolerance. The Zutphen Elderly Study. *Diabetes* 1996;45:376-380.

69. Keli SO, Hertog MGL, Feskens EJM, Kromhout D. Dietary flavonoids, antioxidant vitamins and stroke risk. *Arch Intern Med* 1996;154:637-642.

70. Kromhout D, Katan MB, Havekes L, Groener A, Hornstra G, De Lezenne Coulander C. The effects of 26 years of habitual fish consumption on serum lipid and lipoprotein levels (The Zutphen Study). *Nutr Metab Cardio Dis* 1996;6(2):65-73.

71. Launer LJ, Feskens EJM, Kalmijn S, Kromhout D. Smoking, drinking and thinking: the Zutphen Elderly Study. *Am J Epidemiol* 1996;143:219-227.

72. Post WK, Steyerberg E, Burdorf A, Heederik D, Kromhout D. Choosing optimal values of FEV₁ and FEV₁/FVC for surveillance for respiratory disorders in occupational

- populations. *J Occ Env Med* 1996;38:673-680.
73. Weijenberg MP, Feskens EJM, Kromhout D. Total and high density lipoprotein cholesterol as risk factors for coronary heart disease in elderly men during five years of follow-up. The Zutphen Elderly Study. *Am J Epidemiol* 1996;143:151-158.
 74. Weijenberg MP, Feskens EJM, Kromhout D. Age-related changes in total and HDL cholesterol in elderly men: The Zutphen Study 1977/78-1993. *Am J Publ Hlth* 1996;86:798-803.
 75. Weijenberg MP, Feskens EJM, Kromhout D. White blood cell count and risk of coronary heart disease in elderly men (The Zutphen Elderly Study). *Arterioscl Thromb Vasc Biol* 1996;16:499-503.
 76. Weijenberg MP, Feskens EJ, Kromhout D. Blood pressure and isolated systolic hypertension and the risk of coronary heart disease and mortality in elderly men. The Zutphen Elderly Study. *J Hypertens* 1996;14:1159-1166.
 77. Hoeymans N, Feskens EJM, van den Bos GAM, Kromhout D. Measuring functional status: cross-sectional and longitudinal associations between performance and selfreport (Zutphen Elderly Study 1990-1993). *J Clin Epidemiol* 1996;49:1103-1110.
 78. Kalmijn S, Feskens EJM, Launer LJ, Kromhout D. Cerebrovascular disease, the apolipoprotein e4 allele and cognitive decline in a community based study of elderly men. *Stroke* 1996;27:2230-2235.
 79. Voskuil DW, Feskens EJM, Katan MB, Kromhout D. Intake and sources of α -linolenic acid in Dutch elderly men. *Eur J Clin Nutr* 1996;50:784-8.
 80. Ocke MC, Bueno-de-Mesquita HB, Feskens EJ, van Staveren WA, Kromhout D. Repeated measurements of vegetables, fruits, beta-carotene, and vitamin E in relation to lung cancer. The Zutphen Study. *Am J Epidemiol* 1997;145:358-365.
 81. Dekker JM, Schouten EG, Klootwijk P, Pool J, Swenne CA, Kromhout D. Heart rate variability from short electrocardiographic recordings predict mortality from all causes in middle-aged and elderly men. The Zutphen Study. *Am J Epidemiol* 1997;145:899-908.
 82. Hoeymans N, Feskens EJM, Kromhout D, Bos GAM van den. Ageing and the relationship between functional status and self-rated health in elderly men. The Zutphen Study. *Soc Sci Med* 1997; 45:1527-1536.
 83. Baynes KCR, Boucher BJ, Feskens EJM, Kromhout D. Vitamin D, glucose tolerance and insulinaemia in elderly men. *Diabetologia* 1997;40:344-347.
 84. Hertog MGL, Feskens EJM, Kromhout D. Antioxidant flavonols and coronary heart disease risk. *Lancet* 1997;349:699 (Research Letter).
 85. Hoeymans N, Feskens EJM, van den Bos GAM, Kromhout D. Age, time and cohort effects on functional status and self-rated health in elderly men. *Am J Publ Hlth* 1997;87:1620-1625.
 86. Kalmijn S, Feskens EJM, Launer LJ, Kromhout D. Longitudinal study of the effect of apolipoprotein e4 allele on the association between education and cognitive decline in elderly men. *BMJ* 1997;314:34-35.
 87. Kalmijn S, Feskens EJM, Launer LJ, Kromhout D. Polyunsaturated dietary fatty acids, antioxidants and cognitive function in very old men. *Am J Epidemiol* 1997;145:33-41.
 88. Hoeymans N, Wouters ERCM, Feskens EJM, van den Bos GAM, Kromhout D. Reproducibility of performance-based and self-reported measures of functional status. *J Gerontol* 1997;52: M363-M368.
 89. Weijenberg MP, Feskens EJM, Kromhout D. Serum albumin, coronary heart disease risk and mortality in an elderly men cohort. The Zutphen Elderly Study. *Epidemiology* 1997;8:87-92.
 90. Bijnen FC, Feskens EJ, Caspersen CJ, Mosterd WL, Kromhout D. Age period, and cohorts effects on physical activity among elderly men during 10 years of follow-up:

- the Zutphen Elderly Study. *J Gerontol Biol Sci Med Sci* 1998;53:M235-M241.
91. Bijnen FC, Casperen CJ, Feskens EJ, Saris WH, Mosterd WL, Kromhout D. Physical activity and 10-year mortality from cardiovascular diseases and causes: The Zutphen Elderly Study. *Arch Intern Med*. 1998;158:1499-505.
 92. Hoeymans N, Feskens EJM, van den Bos GAM, Kromhout D. Non-response bias in a study of cardiovascular diseases, functional status and self-rated health among elderly men. *Age Ageing* 1998;27:35-40.
 93. Ossewaarde JM, Feskens EJM, de Vries A, Vallinga CE, Kromhout D. *Chlamydia pneumoniae* is a risk factor for coronary heart disease in symptom-free elderly men, but *Helicobacter pylori* and cytomegalovirus are not. *Epidemiol Infect* 1998;120:93-99.
 94. Stehouwer CDA, Weijenberg MP, van den Berg M, Jakobs C, Feskens EJM, Kromhout D. Serum homocysteine and risk of coronary heart disease and cerebrovascular disease in elderly men: a ten year follow-up. *Arterioscl Thromb Vasc Biol* 1998;18:1895-1901.
 95. Hoeymans N, Feskens EJM, Kromhout D, van den Bos GA. The contribution of chronic conditions and disabilities to poor self-rated health in elderly men. *J Gerontol Biol Sci Med Sci* 1999;54:M501-M506.
 96. Bijnen FCH, Feskens EJM, Caspersen CJ, Nagelkore N, Mosterd WL, Kromhout D. Baseline and previous physical activity in relation to mortality in elderly men: The Zutphen Elderly Study. *Am J Epidemiol* 1999;150:1289-1296
 97. Tijhuis MA, Jong-Gierveld de J, Feskens EJ, Kromhout D. Changes in and factors related to loneliness in older men. The Zutphen Elderly Study. *Age Ageing* 1999;28:491-495
 98. Chin A Paw MJ, Dekker JM, Feskens EJM, Schouten EG, Kromhout D. How to select a frail elderly population? A comparison of three working definitions. *J Clin Epidemiol* 1999;52:1015-1021.
 99. Feskens EJM, Boer JM, van Dam RM, Ritsema MJ, Kromhout D. Diabetes prevalence in offspring of elderly men with known and newly diagnosed diabetes. *Diabetes Care* 1999;22:1919.
 100. Arts ICW, Hollman PCH, Kromhout D. Chocolate as a source of tea flavonoids. *Lancet* 1999; 354:488.
 101. Tijhuis MAR, Elshout JRAF, Feskens EJM, Janssen M, Kromhout D. Prospective investigation of emotional control and cancer risk in men (the Zutphen Study, The Netherlands). *Cancer Causes Control* 2000;11:589-595.
 102. Dam van RM, Visscher AW, Feskens EJ, Verhoef P, Kromhout D. Dietary glycemic index in relation to metabolic risk factors and incidence coronary heart disease: the Zutphen Elderly Study. *Eur J Clin Nutr* 2000;54:726-731.
 103. Oomen MC, van Erk MJ, Feskens EJM, Kok FJ, Kromhout D. Arginine intake and risk of coronary heart disease mortality in elderly men. *Arterioscler Thromb Vasc Biol* 2000;20:2134-2139.
 104. Oomen CM, Ocke MC, Feskens EJ, van Erp-Baart MA, Kok FJ, Kromhout D. Association between trans fatty acid intake and 10-year risk of coronary disease in the Zutphen Elderly Study: a prospective population-based study. *Lancet* 2001;357:746-751.
 105. Arts IC, Hollman PC, Bueno De Mesquita HB, Feskens EJ, Kromhout D. Dietary catechins and epithelial cancer incidence: the Zutphen Elderly Study. *Int J Cancer*. 2001;92:298-302.
 106. Arts IC, Hollman PC, Feskens EJ, Bueno de Mesquita HB, Kromhout D. Catechin intake might explain the inverse relation between tea consumption and ischemic heart disease: the Zutphen Elderly Study. *Am J Clin Nutr* 2001;74:227-232
 107. Oomen CM, Ocke MC, Feskens EJM, Kok FJ, Kromhout D. Alpha-linolenic acid intake is not beneficially associated with 10-y risk of coronary artery disease incidence:

- the Zutphen Elderly Study. *Am J Clin Nutr* 2001;74:457-463.
108. Schuit AJ, Feskens EJM, Launer LJ, Kromhout D. Physical activity and cognitive decline, the role of the apolipoprotein e4 allele. *Med Sci Sports Exerc* 2001;33:772-777.
 109. Dam van RM, Schuit AJ, Feskens EJM, Seidell JC, Kromhout D. Physical activity and glucose tolerance in elderly men: the Zutphen Elderly Study. *Med Sci Sports Exerc* 2002;7:1132-1136
 110. Heijmans BT, Boer JM, Suchiman HE, Cornelisse CJ, Westendorp RG, Kromhout D, Feskens EJ, Slagboom PE. A common variant of the methylenetetrahydrofolate reductase gene (1p36) is associated with an increased risk of cancer. *Cancer res* 2003;63(6):1249-1253.
 111. Jansen MC, Bueno de Mesquita HB, Feskens EJ, Streppel MT, Kok FJ, Kromhout D. Quantity and variety of fruit and vegetable consumption and cancer risk. *Nutr Cancer* 2004;48(2):142-148.
 112. Giltay EJ, Zitman FG, Kromhout D. Dispositional optimism and the risk of depressive symptoms during 15 years of the follow-up: The Zutphen Elderly Study. *Journal of Affective Disorders* 2006;91:45-52
 113. Giltay EJ, Kamphuis MH, Kalmijn S, Zitman FG, Kromhout D. Dispositional optimism and the risk of cardiovascular death. The Zutphen Elderly Study. *Arch Intern Med* 2006;166:1-6.
 114. Buijsse B, Feskens EJM, Kok FJ, Kromhout D. Cocoa intake, blood pressure and cardiovascular mortality. The Zutphen Elderly Study. *Arch Intern Med* 2006;166:411-417.

Publications from the Italian populations

1. Fidanza F, Fidanza-Alberti A, Ferro-Luzzi G, Proja M. Dietary surveys in connection with the epidemiology of heart disease: results in Italy. *Voeding* 1964;25:502-509.
2. Puddu V, Menotti A, Blackburn HW. Observations on T wave after effort in active and sedentary working men. *Acta Cardiol* 1965;20:210-217.
3. Fidanza F, Imbimbo B, Fidanza-Alberti A. Five year follow-up on foods and nutrients consumed in two rural areas of Italy. In: Problems of world nutrition. Kuhnau J (Ed), Pergamon Press, Oxford, 1966:50-53.
4. Fidanza F, Fidanza-Alberti A. Dietary surveys in connection with the epidemiology of heart disease: reliability, sources of variation and other data from nine surveys in Italy. *Voeding* 1967;28:243-252.
6. Menotti A. Epidemiological study on ischemic heart disease in the railroad employees of Rome. *Cor Vasa (Prague)* 1967;9:28-33.
7. Fidanza F. Nutrition and atherosclerosis: controversial views. *Proc Eighth Int Congress Nutrition, Excerpta Medica, Prague* 1969;51-57.
8. Puddu V, Menotti A. An Italian study on epidemiology of ischemic heart disease. *Acta Cardiol* 1969;24:558-578.
9. Menotti A, Puddu V, Monti M, Fidanza F. Habitual physical activity and myocardial infarction. *Cardiologia (Basel)* 1969;54:118-128.
10. Menotti A, Puddu V. Prevention of strokes: an epidemiological approach. *Int Cardiol* 1970;2:248-273.
11. Fidanza F, Senin-Zanetti P. Comparison of chemical analysis and calculated values of vitamin C consumed by population groups of two rural areas of Italy. *Int J Vit Nutr Res* 1971;41:307-312.
12. Fidanza F, Senin Zanetti P, Maffioli E. Comparison of chemical analysis and calculation of vitamin A consumed by population groups of two rural areas of Italy. *Int J Vit Nutr Res* 1971;41:313-315.

13. Menotti A. Epidemiology of coronary heart disease in Italy. *Scand J Clin Lab Invest* 1972;29(Suppl 122):12.
14. Fidanza F. Diet and incidence of coronary heart disease. *Bibl Nutr Diet* 1973;19:93-107.
15. Menotti A, Puddu V. Epidemiology of coronary heart disease. A 10-year study in two Italian rural population groups. *Acta Cardiol* 1973;28:66-88.
16. Menotti A. Obesity: a risk factor of coronary heart disease. *Arch Mal Coeur Vaiss* 1974;68:45-49.
17. Fidanza F, Fidanza-Alberti A. Dietary vitamin intake and thiamine and riboflavin nutritional status in two rural population groups of Italy. *Int J Vit Nutr Res* 1974;44:59-63.
18. Fidanza F. Sources of error in dietary surveys. *Bibl Nutr Diet* 1974;20:105-113.
19. Menotti A. Multivariate prediction. In: *Atherosclerosis*. Schettler G, Weizel W (Eds) Springer Verlag, Berlin, 1974:702-705.
20. Fidanza F, Fidanza-Alberti A. Food and nutrient consumption of two rural population groups of Italy followed for 10 years. *Nutr Metabol* 1975;18:176-189.
21. Puddu V, Menotti A, Signoretti P. Drinking water and cardiovascular disease. *Am Heart J* 1980;99:539-540.
22. Menotti A, Farchi G. Epidemiology of coronary heart disease in Italy: a review. *Atherosclerosis Rev*, Raven Press, New York 1980;7:97-122.
23. Menotti A, Conti S, Giampaoli S, Mariotti S, Signoretti P. Coronary risk factors predicting coronary and other causes of death in 15 years. *Acta Cardiol* 1980;35:107-120.
24. Menotti A, Conti S, Giampaoli S, Mariotti S, Rumi A, Signoretti P. Prediction of coronary and other causes of death by some coronary risk factors in fifteen years. *Rapporti ISTISAN* 1980/14, ISSN-0391-1675, Istituto Superiore di Sanità. Roma 1980:1-19.
25. Menotti A, Capocaccia R, Farchi G, Mariotti S. The estimation of coronary heart disease incidence in a population from the risk function of another. *Przegląd Lekarski* 1981;38:761-765.
26. The Italian Research Group of the Seven Countries Study. Incidence and prediction of coronary heart disease in two Italian rural populations samples followed up for 20 years. *Acta Cardiol* 1982;37:129-145.
27. Menotti A. Coronary risk factors and mortality for coronary and non-coronary events. In: *Atherosclerosis, clinical evaluation and therapy*. Lenzi S, Descovich G (Eds). MTP Press Ltd. Lancaster, Boston 1982:343-351.
28. Fidanza F, Fidanza-Alberti A, Coli R, Mencarini Contini A. Food and nutrient consumption of two rural Italian population groups followed for twenty years. *Int J Vit Nutr Res* 1983;53:91-97.
29. Menotti A, Conti S, Dima F, Giampaoli S, Giuli B, Rumi A, Seccareccia F, Signoretti P. Prediction of all causes of death as a function of some factors commonly measured in cardiovascular population surveys. *Prev Med* 1983;12:318-325.
30. Conti S, Farchi G, Menotti A. Coronary risk factors and excess mortality from all causes and specific causes. *Int J Epidemiol* 1983;12:301-307.
31. Fidanza F. Diets in communities with high and low incidence of coronary heart disease: intercommunity studies. *Proceedings XIII International Congress of Nutrition*. Libbey, London 1985;544-546.
32. Menotti A, Conti S, Dima F, Giampaoli S, Giuli B, Matano M, Seccareccia F. Incidence of coronary heart disease in two generations of men exposed to different levels of risk factors. *Acta Cardiol* 1985;40:307-314.
33. Menotti A, Conti S, Farchi G, Giampaoli S, Dima F, Seccareccia F, Giuli B, Torsello S, Morisi G, Buongiorno A. The prediction of future health in healthy middle-aged men. *Eur J Epidemiol* 1986;2:233-239.
34. Menotti A, Giampaoli S. Epidemiology and prediction of cerebral and peripheral vascular disease. *Monog Atheroscl* 1986; 14: 11-14.

35. Italian Research Group of the Seven Countries Study. Twenty-five year incidence and prediction of coronary heart disease in two Italian rural samples. *Acta Cardiol* 1986;41:283-299.
36. Conti S, Szklo M, Menotti A, Pasquini P. Risk factors for definite hypertension: cross sectional and prospective analyses of two Italian rural cohorts. *Prev Med* 1986;15:403-410.
37. Menotti A, Mariotti S, Seccareccia F, Torsello S, Dima F. Determinants of all causes of death in Italian middle-aged men followed-up for 25 years. *J Epidemiol Comm Health* 1987;41:243-250.
38. Menotti A, Seccareccia F, Pasquali M. Blood pressure, serum cholesterol and smoking habits predicting different manifestations of arteriosclerotic cardiovascular disease. *Acta Cardiol* 1987;42:91-102.
39. Menotti A, Mariotti S, Seccareccia F, Giampaoli S. The 25-year estimated probability of death from some specific causes as a function of twelve risk factors in middle-aged men. *Eur J Epidemiol* 1988;4:60-67.
40. Puddu PE, Jouve R, Mariotti S, Giampaoli S, Lanti MP, Reale A, Menotti A. Evaluation of 10 QT prediction formulas in 881 middle aged men from the Seven Countries Study: emphasis of the cubic root Fridericias equation. *J Electrocardiol* 1988; 21: 219-229.
41. Fidanza-Alberti A, Seccareccia F, Torsello S, Fidanza F. Diet of two rural population groups of middle-aged men in Italy. *Int J Vit Nutr Res* 1988;58:442-451.
42. Menotti A, Giampaoli S, Pasquali M, Seccareccia F, Stuart K. Prognosis of lean and fat hypertensives. *Cardiology* 1988;75:448-457.
43. Fidanza F. The Mediterranean diet in the prevention of coronary heart disease. *Diab Nutr Metabol* 1988;3:169-173.
44. Seccareccia F, Lanti MP, Puddu PE, Menotti A. Normotensive middle-aged men after 5-10 years: normal blood pressure or hypertension? *J Hypertension* 1988;6(Suppl.4): S602-S604.
45. Menotti A, Seccareccia F. Cardiovascular risk factors predicting all causes of death in an occupational population sample. *Int J Epidemiol* 1988;17:773-778.
46. Spagnolo A, Torsello S, Morisi G, Petrozzi E, Antonini R, Ricci G, Urbinati GC, Menotti A. Serum thiocyanate levels as an objective measure of smoking habits in epidemiological studies. *Eur J Epidemiol* 1988; 4 :206-211.
47. Spagnolo A, Menotti A. High density lipoprotein cholesterol distribution and its predictive power in some Italian population studies. *Eur J Epidemiol* 1989;5:328-335.
48. Farchi G, Mariotti S, Menotti A, Seccareccia F, Torsello S, Fidanza F. Diet and 20-year mortality in two rural population groups of middle-aged men in Italy. *Am J Clin Nutr* 1989;50:1095-1103.
49. Menotti A, Seccareccia F, Giampaoli S, Giuli B. The predictive role of systolic, diastolic and mean blood pressure on cardiovascular and all causes of death. *J Hypertension* 1989;7:595-599.
50. Menotti A, Verdecchia A, Dima F. The estimate of coronary incidence following different case finding procedures. *Eur Heart J* 1989;10:562-572.
51. Menotti A, Seccareccia F and the Italian Research Group of the Seven Countries Study. Spontaneous changes of systolic blood pressure as predictors of future fatal events. *Am J Hypertension* 1990;3:549-554.
52. Fidanza-Alberti A. Mediterranean meal patterns. *Bibl Nutr Dieta* 1990;45:59-71.
53. Lanti M, Puddu PE, Menotti A. Voltage criteria of left ventricular hypertrophy in sudden and non-sudden coronary artery disease mortality: the Italian section of the Seven Countries Study. *Am J Cardiol* 1990;15:1181-1185.
54. Menotti A, Lanti M, Seccareccia F, Giampaoli S, Morisi G. Serum cholesterol and cancer: the Italian epidemiological experience. *Nutr Metab Cardio Dis* 1991;1:189-194.

55. Fidanza F. The Mediterranean Italian diet: Keys to contemporary thinking. *Proc Nutr Soc* 1991;50:519-526.
56. Menotti A. The relationship of total serum cholesterol to coronary heart disease in older men. The Italian rural areas of the Seven Countries Study. *Ann Epidemiol* 1992;2:107-111.
57. Farchi G, Fidanza F, Mariotti S, Menotti A. Alcohol and mortality in the Italian rural cohorts of the Seven Countries Study. *Int J Epidemiol* 1992;21:74-82.
58. Menotti A, Spagnolo A, Dima F, Meli P, Scanga M. The prediction of coronary heart disease in different population samples. *Eur J Epidemiol* 1992;8:521-526.
59. Seccareccia F, Menotti A. Physical activity, physical fitness and mortality in a sample of middle aged men followed-up for 25 years. *J Sports Med Phys Fitness* 1992;28:335-341.
60. Menotti A. Coronary risk factors and non-cardiovascular disease. In: *Coronary heart disease epidemiology. From aetiology to public health*. Marmot M, Elliot P (eds). Oxford Univ Press, Oxford 1992: 298-308.
61. Menotti A, Lanti P, Seccareccia F, Giampaoli S, Dima F. Multivariate prediction of the first major cerebrovascular event in an Italian sample of middle aged men followed-up for 25 years. *Stroke* 1993;24: 42-48.
62. Menotti A, Seccareccia F, Lanti M, Giampaoli S, Dima F. Time changes in predictability of coronary heart disease in an Italian aging population. *Cardiology* 1993;82:172-180.
63. Menotti A, Descovich GC, Lanti M, Spagnolo A, Dormi A, Seccareccia F. Indexes of obesity and all-causes mortality in Italian epidemiological data. *Prev Med* 1993;22:293-303.
64. Menotti A. Epidemiology of cardiovascular diseases in elderly men and women in Italy. *Am J Geriatr Cardiol* 1993;2:9-12.
65. Farchi G, Fidanza F, Mariotti S, Menotti A. Is diet an independent risk factor for mortality? 20 year mortality in the Italian rural cohorts of the Seven Countries Study. *Eur J Clin Nutr* 1994;48:19-29.
66. Alberti-Fidanza A, Alunni Paolacci C, Chiuchiù MP, Coli R, Fruttini D, Verducci G, Fidanza F. Dietary studies on two rural Italian population groups of the Seven Countries Study. 1. Food and nutrient intake at the thirty-first year follow-up in 1991. *Eur J Clin Nutr* 1994;48:85-91.
67. Alberti-Fidanza A, Alunni Paolacci C, Chiuchiù MP, Coli R, Parretta MG, Verducci G, Fidanza F. Dietary studies on two rural Italian population groups of the Seven Countries Study. 2. Concurrent validation of protein, fat and carbohydrates intake. *Eur J Clin Nutr* 1994;48:92-96.
68. Farchi G, Fidanza F, Grossi P, Lancia A, Mariotti S, Menotti A. Relationship between eating patterns meeting recommendations and subsequent mortality in 20 years. *Eur J Clin Nutr* 1995;49:408-419.
69. Alberti-Fidanza A, Coli R, Genipi L, Howard AN, Maurizi-Coli A, Mielcarz G, Rajput-Willems J, Thurnham D, Williams NR, Fidanza F. Vitamin and mineral nutritional status and other biochemical data assessed in groups of men from Crevalcore and Montegiorgio (Italy). *Int J Vitamin Nutr Res* 1995;65:193-198.
70. Menotti A, Giampaoli S, Seccareccia F. The relationship of cardiovascular riskfactors measured at different ages to prediction of all-cause mortality and longevity. *Arch Geront Geriatr* 1998;26:99-112.
71. Menotti A, Giampaoli S. A single risk factor measurement predicts 35-year mortality from cardiovascular disease. *G Ital Cardiol* 1998;28:1354-1362.
72. Menotti A, Lanti M. The association of corneal arcus with coronary heart disease incidence: an Italian experience. *CVD Prevention* 1998; 1: 290-294.
73. Giampaoli S, Ferruci L, Cecchi F, Lo Noce C, Poce A, Dima F, Santaquilani A, Vescio MF, Menotti A. Hand-grip strength predicts incident disability in non disabled older

men. Age ageing 1999; 28: 283-288.

74. Alberti-Fidanza A, Fidanza F, Chiuchiu MP, Verducci G, Fruttini D. Dietary studies on two rural Italian population groups of the Seven Countries Study. 3. Trend Of food and nutrient intake from 1960 to 1991. *Eur J Clin Nutr* 1999;53:854-860.

75. Farchi G, Fidanza F, Giampaoli S, Mariotti S, Menotti A. Alcohol and survival in the Italian rural cohorts of the Seven Countries Study. *Int J Epidemiol* 2000;29:667-671.

76. Menotti A, Lanti M, Puddu PE. Comparison of the Framingham risk function-based coronary chart with risk function from an Italian population study. *Eur Heart J* 2000;21:365-370.

77. Menotti A, Lanti M, Puddu PE. Long term time-related predictivity of coronary events as a function of a single measurement of serum cholesterol and systolic blood pressure. *Acta Cardiol* 2000;55:87-94.

78. Menotti A, Lanti M, Puddu PE. Twenty-five-year cardiovascular disease incidence among middle-aged men. Disease burden, time shape, predictors, risk probabilities. *Ital Heart J* 2000;1:749-757.

79. Menotti A, Lanti M. The duration of the association between serum cholesterol and coronary mortality: a 35-year experience. *J Cardiovasc Risk* 2001; 8:109-117.

80. Menotti A, Lanti M. Coronary risk factors predicting early and late coronary deaths. *Heart* 2003; 89: 19-24.

81. Seccareccia F, Alberti-Fidanza A, Fidanza F, Farchi G, Freeman K, Mariotti S, Menotti A. Vegetable intake and long-term survival among middle-aged men in Italy. *Ann Epidemiol* 2003; 13: 424-430.

82. Massari M, Freeman KM, Seccareccia F, Menotti A, Farchi G; Research Group of the Rifle Project. An index to measure the association between dietary patterns and coronary heart disease risk factors: findings from two Italian studies. *Prev Med.* 2004; 39: 841-847.

83. Menotti A, Lanti M, Maiani G, Kromhout D. Forty-year mortality from cardiovascular diseases and their risk factors in men of the Italian rural areas of the Seven Countries Study. *Acta Cardiol* 2005; 60: 521-531.

84. Menotti A, Lanti M, Maiani G, Kromhout D. Determinants of longevity and all-cause mortality among middle-aged men. Role of 48 risk factors in a 40-year follow-up of Italian Rural Areas in the Seven Countries Study. *Aging Clin Exp Res* 2006; 18: 394-406. IR

85. Menotti A, Alberti-Fidanza A, Fidanza F. The association of the Mediterranean Adequacy Index with fatal coronary events in an Italian middle-aged male population followed for 40 years. *Nutr Metab Cardiovasc Dis* 2010 Dec 24- Epub ahead of printing.

Publications from the Greek populations

1. Keys A, Aravanis C, Sdrin H. The diets of middle aged men in two rural areas of Greece. *Voeding* 1966;27:575-86.

2. Dontas AS, Keys A, Anthopoulos L, Schulz N. Effects of age on the carotid pulse in two Greek populations. *Circulation* 1970;42:529-539.

3. Aravanis C. Exercise and the heart. *Cardiovascular Clinics* 1971;2:181-186.

4. Aravanis C. The Greek islands heart study. *Proc Inter Congress on the Biological Value of Olive Oil.* 1976;1:315-319.

5. Aravanis C. Nutritional factors and cardiovascular diseases in the Greek Islands Heart Study. In: Lovenberg W, Yamori Y, (Ed). *Nutritional prevention of cardiovascular disease.* New York Academic Press 1984:125-135.

6. Aravanis C. The classic risk factors for coronary heart disease. Experience in Europe. *Preventive Med* 1984;2:125-135.

7. Dontas AS, Jacobs D, Corcondilas A, Keys A, Hannan P. Longitudinal versus crosssectional vital capacity changes and effecting factors. *J Gerontology* 1984;39:430-438.

8. Aravanis C, Ioanides P. Evolution of cardiovascular diseases in rural Greece. *Bibl Nutr Diet* 1986;37:92-96.
9. Aravanis C, Mensink RP, Corcondilas A, Ioanidas P, Feskens EJM, Katan MB. Risk factors for coronary heart disease in middle-aged men in Crete in 1982. *Int J Epidemiol* 1988;17: 779-83.
10. Sandker GW, Kromhout D, Aravanis C, Bloemberg BPM, Mensink RP, Karalias N, Katan MB. Serum cholesterol ester fatty acids and their relation with serum lipids in elderly men in Crete and The Netherlands. *Eur J Clin Nutr* 1993;47:201-208.
11. Dontas AS, Menotti A, Aravanis C, Corcondilas A, Lekos D, Seccareccia F. Long-term prediction of coronary heart disease mortality in two rural Greek populations. *Eur Heart J* 1993, 14: 1153-1157.
12. Voukiklaris GE, Kafatos A, Dontas AS. Changing prevalence of coronary heart disease risk factors and cardiovascular diseases in men of a rural area of Crete from 1960 to 1991. *Angiology* 1996;47(1):43-49.
13. Kafatos A, Diacatou A, Voukiklaris G, Nikolakakis N, Vlachonikolis J, Kounali D, Mamalakis G, Dontas AS. Heart disease risk-factor status and dietary changes in the Cretan population over the past 30 y: the Seven Countries Study. *Am J Clin Nutr* 1997;65:1882-1886.
14. Dontas AS, Moschandreas J, Kafatos A. Physical activity and nutrition in older adults. *Publ Health Nutr* 1999;2(3A):429-136.
15. Panagiotakos DB, Chrysoshoou C, Pitsavos C, Menotti A, Dontas A, Skoumas J, Stefanadis C, Toutouzas P. Forty-years (1961-2001) of all-cause and coronary heart disease mortality and its determinants: the Corfu cohort from the Seven Countries Study. *Int J Cardiol* 2003; 90: 73-79.
16. Panagiotakos DB, Chrysoshoou C, Pitsavos C, Menotti A, Dontas A, Skoumas J, Stefanidis C, Toutouzas P. Risk factors of stroke mortality: a 40-year follow-up of the Corfu cohorts from the Seven Countries Study. *Neuroepidemiology* 2003; 22: 332-338.
17. Pitsavos C, Panagiotakos DB, Menotti A., Chrysoshoou C, Skoumas J, Stefanidis C, Dontas A, Toutouzas P. Forty-year follow-up of coronary heart disease mortality and its predictors: the Corfu cohort of the seven countries study. *Prev Cardiol* 2003; 6: 55-60.
18. Pitsavos C, Panagiotakos DB, Chrysoshoou C, Kokkinos P, Menotti A, Singh S, Dontas A, the Seven Countries Study (the Corfu Cohort). Physical activity decreases the risk of stroke in middle-aged men with left ventricular hypertrophy: 40-year follow-up (1961-2001) of the Seven Countries Study (the Corfu cohort) *J Hum Hypertens* 2004; 18: 495-501.
19. Moschandreas J, Kafatos A, Aravanis C, Dontas A, Menotti A, Kromhout D. Longterm predictors of survival for the Seven Countries Study cohort from Crete: From 1960 to 2000. *Int J Cardiol* 2005; 100: 85-91.
20. Panagiotakos DB, Pitsavos C, Ploychronopoulos E, Chrysoshoou C, Menotti A, Dontas A, Stefanidis C. Total cholesterol and body mass index in relation to 40-year cancer mortality (the Corfu cohort of the Seven Countries Study). *Cancer Epidemiol Biomark Prev* 2005; 14: 1797-801.

Publications from the Croatian population

1. Brozek J, Buzina R, Mikic F. Population studies on serum cholesterol and dietary fat in Yugoslavia. *Am J Clin Nutr* 1957;5:279-285.
2. Buzina R, Ferber E, Keys A, Brodarec A, Agneletto B, Horvat A. Diets of rural families and heads of families in two regions of Yugoslavia. *Voeding* 1964;25:629-639.
3. Buzina R, Keys A, Brodarec A, Anderson JT, Fidanza F. Dietary surveys in rural Yugoslavia. II Chemical analysis of diets in Dalmatia and Slavonia. *Voeding* 1966;27:31-

36.

4. Buzina R, Keys A, Brodarec A, Anderson JT, Fidanza F. Dietary surveys in rural Yugoslavia. III Comparison of three methods. *Voeding* 1966;27:99-105.
5. Buzina R, Suboticane K, Saric M. Diet patterns and health problems: Diet in Southern Europe. *Ann Nutr Metab* 1991;(Suppl 1):32-40.
6. Buzina R. Recent evaluation of food habits in Mediterranean populations. In: For a better nutrition in the 21st century. Leathwood P, Horrisberger M, James WPT (Eds) Nestle Nutr Workshop Series, Raven Press 1993;27:67-74.
7. Buzina R, Mohacek I, Menotti A, Seccareccia F, Lanti M, Kromhout D, Keys A. Twenty-five-year mortality from coronary heart disease and its prediction in two Croatian cohorts of middle-aged men. *Eur J Epidemiol* 1995;11:259-267.

Publications from Serbian populations

1. Plavšić E, Ilić M, Nedeljković S. Les maladies des arteres coronaires en Yougoslavie. *Acta Cardiologica* 1959;14(suppl.8):79-86.
2. Djordjević BS, Nedeljković S. Variabilité des données electrocardiographiques dans trois groupes epidemiologiques differants (Recherches sur l'epidemiologie de la maladie coronaire). *Actualités Cardiologiques et Angeiologiques Internationales* 1965;14(4):281-286.
3. Djordjević B, Simić B, Simić A, Straser T, Josipović V, Macarol V, Klinc I, Nedeljković S, Todorović P. Dietary studies in connection with epidemiology of heart diseases: results in Serbia. *Voeding* 1965;26:117-127.
4. Djordjević BS, Josipović V, Strasser T, Nedeljković S, Lambić I, Balog B, Stojanović G, Macarol V, Simić B, Simić A, Slavković V, Milutinović P, Klinc I, Jovanović M. Les premiers resultats des recherches sur l'epidemiologie de la maladies coronaire dans trois groupes differants de population en Serbie. *Actualites Cardiologiques et Angeiologiques Internationales* 1966;15(1):15-21.
5. Nedeljković S, Djordjević B, Stojanović G. Ballistocardiographic findings in an epidemiological study of cardiovascular diseases in Yugoslavia. *Ballistocardiography. Bibl Cardiol, Krager, Basel* 1968;21:16-20.
6. Nedeljković S, Djordjević B, Stojanović G. Follow-up ballistocardiographic findings in an epidemiological study of cardiovascular diseases in Yugoslavia. *Ballistocardiography. Bibl Cardiol. Krager, Basel* 1973;31:237-244.
7. Nedeljković S, Menotti A, Keys A, Ostojić M, Grujić M, Kromhout D, Stojanović G. Coronary heart disease in three cohorts of men in Serbia followed up for 25 years as a part of Seven Countries Study. *Kardiologija* 1992;13(1-2):35-44.
8. Nedeljković S, Ostojić M, Grujić M, Josipović V, Keys A, Menotti A, Seccareccia F, Lanti M, Kromhout D. Coronary heart disease deaths in 25 years. The experience in three Serbian cohorts of the Seven Countries Study. *Acta Cardiologica* 1993;48(1):11-24.
9. Kromhout D, Nedeljković SI, Grujić MZ, Ostojić MC, Keys A, Menotti A, Katan MB, Van Oostrom MA, Bloemberg BPM. Changes in major risk factors for cardiovascular diseases during 25 years in the Serbian cohorts of the Seven Countries Study. *Int J Epidemiol* 1994;23:5-11.
10. Jansen DF, Nedeljković S, Feskens EJM, Ostojić MC, Grujić MZ, Bloemberg BPM, Kromhout D. Coffee consumption, alcohol use and cigarette smoking as determinants of serum total and HDL cholesterol in two Serbian cohorts of the Seven Countries Study. *Arterioscl Thromb Vasc Biol* 1995;15:1793-1797.
11. Hommerson P, Nedeljković SI, Klungel OH, Boer A de, Ostojic MC, Grujic MZ, Vojvodic NM, Bloemberg BPM, Kromhout D. Cardiovascular drug use and differences in the incidence of cardiovascular mortality in elderly Serbian men. *Pharm World Sci*

Publications from Japanese populations

1. Kimura N, Mori F. A hint on cholesterol determination of survey for cardiovascular epidemiology. *Jap Circ J* 1963;27:392.
2. Keys A, Kimura N. Diets of middle-aged farmers in Japan. *Am J Clin Nutr* 1970; 23:212.
3. Kimura N, Nakayama N. Natural history of heart disease from epidemiological investigation. *Jap Circ J* 1972;36:11.
4. Kimura N, Toshima H, Nakayama Y, Mizuguchi T, Takayama K, Yoshinaga M, Fukami T, Tashiro H, Katayama F, Abe K, Arima T, Yokota Y, Minagawa E, Tanaka R, Akiyoshi T, Soejima K, Yamada K, Mizunoe A, Nakamura K, Oshima F, Tanaka K, Akusu K, Niizaki T, Ikeda H, Nakamichi E, Ageta M, Miike Y, Inoue T, Nakagawa T, Nanbu S, Tanioka T, Shimada S, Fukumoto T. Population survey on cerebrovascular and cardiovascular disease. The ten years experience in the farming village of Tanushimaru and the fishing village of Ushibuka. *Jap Heart J* 1972;13:119.
5. Kimura N, Toshima H, Nakayama Y, Mizuguchi T, Takayama K, Yoshinaga M, Fukami T, Tashiro H, Katayama F, Abe K, Arima T, Yokota Y, Minagawa E, Tanaka R, Akiyoshi T, Soejima K, Yamada K, Mizunoe A, Nakamura K, Oshima F, Tanaka K, Akusu K, Niizaki T, Ikeda H, Nakamichi E, Ageta M, Miike Y, Inoue T, Nakagawa T, Nanbu S, Tanioka T, Shimada S, Fukumoto T. Epidemiological study on cerebro-and cardiovascular disease in Tanushimaru and Ushibuka. *Jap J Med* 1972;11:62.
6. Kimura N. A population survey on cerebrovascular and cardiovascular diseases in Kyusyu Japan. *Sing Med J* 1973;14:230.
7. Kimura N, Nakayama Y, Nanbu S, Gohda H. Prevalence of plasma lipoprotein abnormalities in the farming village of Tanushimaru and fishing village of Ushibuka. From the epidemiological aspects. *Jap Circ J* 1975;39:299.
8. Shigiya R, Kimura N, Komachi Y, Isomura K, Kojima S, Watanabe T. Physiological adaptability and nutritional status of the Japanese: Ecological background for CVA and CHD in Japan. *Human Adaptability* 1975;3:127.
9. Kimura N, Nakayama Y. Physiological adaptability and nutritional status of the Japanese: population survey in rural Kyusyu, Japan. *Human Adaptability* 1975;3:165.
10. Kimura N, Toshima H, Nanbu S, Tanaka K, Ooshima F, Gohda H, Ageta M, Koga Y, Ishida S. Relation of lipoprotein metabolism to development of ischemic heart disease in Japan. *Jap J Med* 1975;14:42.
11. Kimura N, Nakayama Y, Tashiro H. The 15-year follow-up population survey on cerebrovascular disease in rural Kyusyu, Japan. *Jap J Med* 1977;16(2)142-144.
12. Kimura N. Study of the prevention of myocardial infarctions (1976 Prize of the Japan Medical Association Clinical Section). *Asian Med J* 1977;20(5)269-285.
13. Kimura N. Atherosclerosis in Japan. *Epidemiology. Atherosclerosis Rev* 1977;2:209-221.
14. Kimura N. Epidemiological studies in Japan on smoking and cardiovascular diseases. Volume 2 of the proceeding of the 3rd World Conference on smoking and health (USA) Department of Health, Education, and Welfare. DHEW Publication no (NIH) 1977;77-1413:185-198.
15. Takagi M. Serum uric acid as a risk factor for stroke in a fishing village of rural Southern Japan. *Jap Circ J* 1982;46(2):131-136.
16. Tashiro H, Nanbu S, Takagi M, Hori H, Sumie M, Tsuiki T, Ueki K, Furuta Y, Nagata H, Kitano T, Hiyamuta K, Kinoshita E, Yamashita Y, Hamamura Y, Kumagai E, Sakai S, Senou T, Toshima H. Changes in the prevalence of hypertension and obesity in a rural area of Japan. *Kurume Med J* 1983;30(2):57-99.

17. Toshima H, Tashiro H, Sumie M, Koga Y, Kimura N. Changes in risk factors and cardiovascular mortality and morbidity within Tanushimaru 1958-1982. In: Nutritional prevention of cardiovascular disease. Lovenberg E, Yamori Y (Eds). Academic Press, Orlando. 1984:203-210.
18. Toshima H, Koga Y, Menotti A, Keys A, Blackburn H, Jacobs DR, Seccareccia F. The Seven Countries Study in Japan. Twenty-five-year experience in cardiovascular and all causes deaths. *Jap Heart J* 1995;36:179-189.
19. Hashimoto R, Adachi H, Tsuruta M, Tashiro H, Toshima H. Association of hyperinsulinemia and serum free fatty acids with serum high density lipoprotein cholesterol. *J Atheroscler Thromb* 1995; 2(1): 53-59.
20. Toshima H, Hashimoto R, Tsuruta M, Adachi H. Insulin and ischemic heart disease. *Asian Med J* 1995; 38(8): 437-442.
21. Hashimoto R, Adachi H, Nishida H, Tsuruta M, Nomura G. Serum N-Acetyl- β -D-Glucosaminidase in predicting the development of hypertension. *Hypertension* 1995; 25(6): 1311-1314.
22. Tsuruta M, Hashimoto R, Adachi H, Imaizumi T, Nomura G. Hyperinsulinemia as a predictor of hypertension: An 11-year follow-up study in Japan. *J Hypertens* 1996; 12: 483-488.
23. Adachi H, Hashimoto R, Tsuruta M, Jacobs DR, Crow RS, Imaizumi T. Hyperinsulinemia and the development of ST-T electrocardiographic abnormalities. *Diabetes Care* 1997; 20(11):1688-1692.
24. Adachi H, Jacobs DR, Hashimoto R, Tsuruta M, Imaizumi T. Clustering of cardiovascular risk factors in hyperinsulinemia in Japanese without diabetes. *Diab Res and Clin Pract* 1998; 40:181-190
25. Tsuruta M, Adachi H, Hirai Y, Fujiura Y, Imaizumi T. Association between alcohol intake and development of hypertension in Japanese normotensive men; 12-year follow-up study. *Am J Hypertens* 2000; 13: 482-487.
26. Adachi H, Goetz FC, Jacobs DR, Tsuruta M, Hirai Y, Fujiura Y, Imaizumi T. The role of obesity in the association of cardiovascular risk factors and glucose intolerance in small Japanese and North American communities. *Diabetes Res Clin Pract* 2000; 49:41-51.
27. Fujiura Y, Adachi H, Tsuruta M, Jacobs DR, Hirai Y, Imaizumi T. Heart rate and mortality in a Japanese General population: a 18-year follow-up study. *J Clin Epidemiol* 2001; 54:495-500.
28. Adachi H, Hirai Y, Tsuruta M, Fujiura Y, Imaizumi T. Is insulin resistance or diabetes mellitus associated with stroke? an 18-year follow-up study. *Diabetes Res Clin Pract* 2001; 51:215-223.
29. Adachi H, Hirai Y, Fujiura Y, Matsuoka H, Satoh A, Imaizumi T. Plasma homocysteine levels and atherosclerosis in Japan: Epidemiological study by use of carotid ultrasonography. *Stroke* 2002; 33:2177-2181.
30. Nakamura T, Adachi H, Hirai Y, Satoh A, Ohuchida M, Imaizumi T. Association of plasminogen activator inhibitor-1 with insulin resistance in Japan where obesity is rare. *Metabolism* 2003; 52(2): 226-229.